



CATALOG NUMBER TWENTY NINE
CRESCENT TOOL CO. JAMESTOWN, N. Y.

CRESCENT TOOLS

50TH ANNIVERSARY CATALOG NO. 29

"The Hardware Line"

WRENCHES - ADJUSTABLE
WRENCHES - SOLID
WRENCHES - SOCKET
WRENCHES - PIPE
PLIERS - ALL TYPES
SCREWDRIVERS
HACKSAWS
TIN SNIPS
AWLS
PUNCHES
CHISELS
STAR DRILLS
NAIL PULLERS
and OTHER
HAND TOOLS

CRESCENT TOOL CO.
JAMESTOWN, NEW YORK, U. S. A.



INDEX

WRENCHES,
ADJUSTABLE
1 - 2

WRENCHES,
END, BOX
6 - 8

WRENCHES,
SOCKET
9 - 18

SOCKET
SETS
10 - 18

WRENCHES,
PIPE
19 - 20

PLIERS,
SLIP JOINT
21

PLIERS,
UTILITY
22

PLIERS,
MISC.
23 - 28

SNIPS,
AVIATION
29

SNIPS,
TINNERS
30

HACKSAWS
31 - 32

PUNCHES
33

CHISELS
34

STAR DRILLS
34

SCREWDRIVER
35 - 36

NAIL PULLERS
37


WIRE GRIPS
38 - 40

SLEEVE
WRENCHES
41 - 43

AWLS
44

DISPLAYS
45 - 56

GENERAL
INDEX
59



JAMESTOWN, NEW YORK

In the heart of western New York State's industrial area, about 400 miles west of New York City; 70 miles south of Buffalo. A few miles from the famous Chautauqua Institution. Rail, truck and air connections make prompt shipments easy to any point in the U. S. and Canada.

GUARANTEE

Each Crescent and Crestoloy Tool is guaranteed against defects in workmanship or material.

We will replace any tool which proves defective in either respect.

Defective tools should be held by jobbers for inspection by our representative. Such items should be returned to the factory *only after written permission has been obtained.*

CRESCENT TOOL CO., JAMESTOWN, NEW YORK, U.S.A.

from this modern factory —



CRESCENT TOOLS are shipped all over the world.

From a small beginning, back in 1906, when the CRESCENT WRENCH first made its appearance, the Crescent Tool Company has enjoyed a steady growth.

Incorporated in 1907, the new company with a score of employees and about 8000 square feet of floor space started out with the manufacture of a few hundred tools. Since that time, almost every year has brought increased sales and made necessary the frequent expansion of plant facilities.

Now, in its fiftieth year, Crescent employs over 600 people, occupies to capacity 241,000 square feet (about 6 acres) of floor space and turns out millions of high quality CRESCENT TOOLS each year.

No expense is spared to keep machinery and production methods up to the minute to insure that Crescent products will continue to uphold their reputation for high quality, strength and durability.

New products have been added from time to time so that the CRESCENT line today is one of the most complete in the entire hand tool industry.



Crescent is our trade-mark, registered in the United States and abroad, for wrenches and other tools. Sold by leading distributors and retailers everywhere and made only by
CRESCENT TOOL COMPANY, JAMESTOWN, NEW YORK

CRESTOLOY WRENCHES

SPECIAL ALLOY STEEL

"Crestoloy" is the trade marked name of the grade of steel used in making these and other CRESCENT Tools. It is a specially developed alloy made to our own specifications. Wrenches made of it are

**30% THINNER
200% STRONGER
TOUGH AND DURABLE**

The extreme thinness of these wrenches gives them access to places where ordinary adjustable wrenches cannot be used, yet they have all the strength they need to handle the most stubborn nuts and bolts. Accuracy in machining operations insure smoothly working parts, as well as interchangeability of parts if replacements are needed.

CRESCENT's own selective induction process of electronic hardening provides the hard surface and interior toughness that gives these wrenches their rugged strength and long, useful life.

SPECIFICATIONS

SINGLE END MODELS

Catalog Number	Size	Capacity	Thickness of Head Tip of Jaws	Thickness Point	Weight Packed
AC14	4"	$\frac{1}{2}$ "	$\frac{1}{8}$ "	$\frac{5}{16}$ "	2 oz.
AC16	6"	$\frac{3}{4}$ "	$\frac{7}{32}$ "	$\frac{13}{32}$ "	4 oz.
AC18	8"	$1\frac{1}{16}$ "	$\frac{1}{4}$ "	$\frac{15}{32}$ "	8 oz.
AC110	10"	$1\frac{1}{8}$ "	$\frac{3}{8}$ "	$\frac{9}{16}$ "	13 oz.
AC112	12"	$1\frac{3}{16}$ "	$\frac{13}{32}$ "	$\frac{3}{4}$ "	1 lb. 9 oz.
AC115*	15"	$1\frac{11}{16}$ "	$\frac{19}{32}$ "	$\frac{15}{16}$ "	3 lbs. 4 oz.
AC118*	18"	$2\frac{1}{16}$ "	$\frac{11}{16}$ "	$1\frac{1}{8}$ "	5 lbs. 2 oz.
AC124*	24"	$2\frac{7}{16}$ "	$\frac{7}{8}$ "	$1\frac{13}{32}$ "	8 lbs. 15 oz.

*This size has tapered handle as shown.

DOUBLE END MODELS

BC146	4- 6"	$\frac{1}{2}$ - $\frac{3}{4}$ "	Same as 4 and 6" sizes	4 oz.
BC168	6- 8"	$\frac{3}{4}$ - $1\frac{1}{16}$ "	Same as 6 and 8" sizes	8 oz.
BC1810	8-10"	$1\frac{1}{16}$ - $1\frac{1}{8}$ "	Same as 8 and 10" sizes	15 oz.
BC11012	10-12"	$1\frac{1}{8}$ - $1\frac{1}{2}$ "	Same as 10 and 12" sizes	1 lb. 12 oz.

Finish: Chromium plate.

Packed—One in a box.

Conforms to Fed. Spec. GGG-W-631a — Type I.



CRESCENT TOOLS
Give Wings to Work

The Original CRESCENT WRENCH — stronger and better than ever

CRESCENT WRENCHES



**STANDARD
PATTERN**


the ORIGINAL — copied by many — equalled by none!

CRESCENT Wrenches are forged from special carbon steel, particularly adapted to wrench manufacture. Careful heat treatment increases their toughness and durability. Due to their lesser cost and relatively great strength, they are widely used in industrial and service operations where extreme thinness is not essential.

The various parts of Crescent Wrenches are accurately fitted so that smooth, one-hand adjustment is possible at all times. With an occasional cleaning and oiling, a Crescent Wrench will give faithful, dependable service for years.

For the common run of every day jobs, choose CRESCENT Wrenches and be assured of satisfactory performance.

Use CRESCENT Wrenches Correctly—



Generally speaking, the CRESCENT Wrench should be turned in the direction indicated by the arrow in the drawing. However, when nuts are being tightened or loosened in close quarters, it is possible to use the wrench either way. That is why the jaws are at an angle to the handle.

The main point to remember is to have the jaws **TIGHT** upon the nut being turned. If this precaution is observed, the wrench will not slip and a good, hard pull can be exerted without fear of bruised knuckles or skinned fingers. Keep moving parts oiled and never use the wrench as a hammer.

SPECIFICATIONS

SINGLE END CRESCENT WRENCH

A tool for general use in garages, repair shops, machine shops, on the farm, in the home and anywhere else there is a need for a dependable, adjustable wrench. The Crescent Wrench is in use in all countries of the world and its users have found it absolutely dependable and serviceable.

Finish: Sides of head polished, balance of wrench black.

Number	Size	Capacity	Weight, Each
A14	4"	$\frac{1}{2}$ "	2 oz.
A16	6"	$\frac{3}{4}$ "	5 oz.
A18	8"	$\frac{13}{16}$ "	11 oz.
A110	10"	$1\frac{1}{8}$ "	1 lb. 4 oz.
A112	12"	$1\frac{5}{16}$ "	2 lbs. 1 oz.
A115	15"	$1\frac{11}{16}$ "	4 lbs. 1 oz.
A118	18"	$2\frac{1}{16}$ "	6 lbs. 13 oz.

Packed—One in a box.

CRESCENT TOOLS
Give Wings to Work®

You can always do your Best Work when using CRESCENT TOOLS



WRENCH REPAIRS

PARTS FOR CRESCENT WRENCHES

When parts become lost, or an overload has broken them, your CRESCENT or CRESTOLOY wrench can be made as good as new with these parts which are always available.

Dealers should have some on hand as a service to their customers.

Convenient PARTS ASSORTMENTS are shown on next page. See RP1 and RP2 for both Crescent and Crestoloy parts.


Number	Part	Number	Part	Number	Part	Number	Part
JAWS		KNURLS		PINS		SPRINGS	
A14J	4" Jaw	A14K	4" Knurl	A14P	4" Pin	A14S	4" Spring
A16J	6" Jaw	A16K	6" Knurl	A16P	6" Pin	A16S	6" Spring
A18J	8" Jaw	A18K	8" Knurl	A18P	8" Pin	A18S	8" Spring
A110J	10" Jaw	A110K	10" Knurl	A110P	10" Pin	A110S	10" Spring
A112J	12" Jaw	A112K	12" Knurl	A112P	12" Pin	A112S	12" Spring
A115J	15" Jaw	A115K	15" Knurl	A115P	15" Pin	A115S	15" Spring
A118J	18" Jaw	A118K	18" Knurl	A118P	18" Pin	A118S	18" Spring

PARTS FOR CRESTOLOY WRENCHES

Number	Part	Number	Part	Number	Part	Number	Part
JAWS		KNURLS		PINS		SPRINGS	
AC14J	4" Jaw	AC14K	4" Knurl	AC14P	4" Pin	AC14S	4" Spring
AC16J	6" Jaw	AC16K	6" Knurl	AC16P	6" Pin	AC16S	6" Spring
AC18J	8" Jaw	AC18K	8" Knurl	AC18P	8" Pin	AC18S	8" Spring
AC110J	10" Jaw	AC110K	10" Knurl	AC110P	10" Pin	AC110S	10" Spring
AC112J	12" Jaw	AC112K	12" Knurl	AC112P	12" Pin	AC112S	12" Spring
AC115J	15" Jaw	AC115K	15" Knurl	AC115P	15" Pin	AC115S	15" Spring
AC118J	18" Jaw	AC118K	18" Knurl	AC118P	18" Pin	AC118S	18" Spring
AC124J	24" Jaw	AC124K	24" Knurl	AC124P	24" Pin	AC124S	24" Spring

PACKING

For convenience in identifying and keeping stock records from becoming confused, Crescent and Crestoloy parts are packed as illustrated. Silver stripe distinguishes Crestoloy parts from Crescent which are marked with a red stripe. Jaws and knurls, (4" to 12" only) are packed in cartons of one dozen. Pins, each complete with spring, are packed in cellophane tape, 4 to 12 inch, one dozen in a box; 15, 18, 24 inch, six in a box. Tape perforated between each unit. Quantities required for individual orders can be easily torn off.



CRESCENT TOOLS
Give Wings to Work

Only CRESCENT and CRESTOLOY Parts always fit perfectly

"A" AND "AC" WRENCH PARTS ASSORTMENTS

SMALL BOX FOR CRESCENT — SPECIFY A-RP1 FOR CRESTOLOY — SPECIFY AC-RP1

This assortment consists of the following parts, packed in a heavy cardboard carton which is divided into compartments. Contains enough parts to enable the average small dealer to service his customers' wrenches.


Contents are as follows:

Part	Quantity	Part	Quantity	Part	Quantity	Part	Quantity
4" jaws	—2	4" knurls	—2	4" pins	—2	4" springs	—2
6" jaws	—5	6" knurls	—3	6" pins	—3	6" springs	—3
8" jaws	—4	8" knurls	—4	8" pins	—3	8" springs	—3
10" jaws	—2	10" knurls	—2	10" pins	—2	10" springs	—2
12" jaws	—1	12" knurls	—1	12" pins	—1	12" springs	—1

Size of carton — $4\frac{1}{4}" \times 6\frac{1}{4}" \times 1\frac{1}{2}"$.

A-RP1 Parts Assortment for "A" Style Crescent Wrenches — *Weight: 2 lbs.*

AC-RP1 Parts Assortment for "AC" and "BC" Crestoloy Wrenches — *Weight: 1 lb. 10 oz.*



LARGE BOX FOR CRESCENT — SPECIFY A-RP2 FOR CRESTOLOY — SPECIFY AC-RP2

This popular assortment features a heavy metal box with hinged cover and separate compartment for each different size. Specification sheet inside cover helps to identify parts and also provides space in which dealers may place price information.

Assortments contain these parts:

4 inch	6 inch	8 inch
6 jaws	12 jaws	12 jaws
6 knurls	12 knurls	12 knurls
6 pins	12 pins	12 pins
6 springs	12 springs	12 springs
10 inch	12 inch	Plier Bolts and Nuts
6 jaws	6 jaws	12 each
6 knurls	6 knurls	6 inch bolts
6 pins	6 pins	and nuts
6 springs	6 springs	



Box Size — $11\frac{1}{4}" \times 7\frac{1}{4}" \times 2\frac{3}{16}"$.

A-RP2 Parts Assortment for "A" Style Crescent Wrenches — *Weight: 9 lbs. 3 oz.*

AC-RP2 Parts Assortment for "AC" and "BC" Crestoloy Wrenches — *Weight: 7 lbs. 12 oz.*

YOUR PROFITS WILL INCREASE IF YOU STOCK PARTS

CRESCENT and CRESTOLOY Wrenches seldom break. But parts do get lost, and every wrench dealer, in order to give complete service to his customers, should carry at least a small stock of replacement parts. The assortments shown on this page will make it easy to perform that service.

CRESCENT TOOLS
Give Wings to Work

STANDARD NUTS, BOLTS, CAP SCREWS, ETC. AS RELATED TO NOMINAL WRENCH OPENINGS

COMPARISON CHART

Nominal Size of Wrench	NUTS			BOLTS				NUTS
	FINISHED <i>Hex, Hex-Jam, Hex-Slotted Hex-Thick, Hex-Thick Slotted and Hex-Castle</i>	REGULAR <i>Square Hex, Hex-Jam, Semi-Fin. Hex, Hex-Jam and Hex-Slotted</i>	HEAVY <i>Square, Hex, Hex-Jam Semi-Fin. Hex, Hex-Jam and Hex-Slotted</i>	FINISHED AND REGULAR <i>Square, Hex, Semi-Fin. Hex Hex Head Cap Screws</i>	HEAVY <i>Hex, Semi-Fin. Hex, and Finished Hex</i>	Lag Bolts <i>Square</i>	Set Screws <i>Square</i>	Machine Screw and Stove Bolt Nuts
5/32								No. 0 & No. 1
3/16							No. 10	No. 2 & No. 3
7/32							No. 12	
1/4							1/4	No. 4
9/32						No. 10		
5/16							5/16	No. 5 and No. 6
11/32								No. 8
3/8				1/4*		1/4	3/8	No. 10
7/16	1/4	1/4		1/4			7/16	No. 12 and 1/4
1/2	5/16		1/4	5/16		5/16	1/2	
9/16	3/8	5/16	5/16	3/8		3/8	9/16	5/16
5/8		3/8		7/16		7/16	5/8	3/8
11/16	7/16		3/8					
3/4	1/2	7/16	7/16	1/2		1/2	3/4	
13/16		1/2		9/16				
7/8	9/16	9/16	1/2		1/2		7/8	
15/16	5/8		9/16	5/8		5/8		
1		5/8					1	
1 1/16			5/8		5/8			

*Regular square only.

Bolt and nut dimensions as given in tables above are the measurements across the flats of hex-head bolts, nuts, etc. They are in accordance with the latest available figures on standards for the industry.

CRESCENT Solid Open-end, Box and Combination Wrenches — “The Hardware Line” are made to fit those sizes of bolts and nuts most in demand in the hardware field. The cover of each box of six Crescent Solid Wrenches lists all the sizes of nuts and bolts that the wrenches in that particular box will fit.

All dimensions in table are given in inches.

For catalog information on Crescent Solid Wrenches, see page 6 of this catalog.

For rolls and pouches containing sets, see pages 7 and 8.

For display assortments for these wrenches, see page 48.

CRESCENT TOOLS

Give Wings to Work

®

CRESCENT SOLID WRENCHES

A complete, quality wrench line for every Hardware Dealer — all with the well known and respected name "CRESCENT." Double Head Open End; Double Offset Box; and the combination of both, all shown here, together with Crescent and Crestoloy Adjustable Wrenches and Crescent Socket Wrenches will fit all the wrench needs of any Hardware Retailer. Sizes offered include those in the greatest demand for general use.

SPECIFICATIONS

Catalog Number	Nominal Openings	Overall Length	Thick-ness of Head O.E.	Thick-ness of Head Box	Outside Diam-eter of Box End	Weight Packed Per Half Doz.
OPEN-END, DOUBLE HEAD WRENCHES						
C1020	1/4" - 5/16"	3 1/2"	5/32"			3 1/2 oz.
C1721	5/16" - 3/8"	4 1/2"	3/16"			5 oz.
C1723	3/8" - 7/16"	5"	7/32"			8 oz.
C1725	7/16" - 1/2"	5 3/4"	7/32"			11 oz.
C1725-B	1/2" - 9/16"	6 1/4"	15/64"			15 1/2 oz.
C1727	9/16" - 5/8"	6 3/4"	17/64"		1 lb.	4 oz.
C1729	5/8" - 3/4"	7 3/4"	9/32"		1 lb.	12 oz.
C1731-A	3/4" - 7/8"	9"	11/32"		2 lbs.	15 oz.
C1731-B	13/16" - 7/8"	9 1/2"	11/32"		2 lbs.	15 oz.
C1033-C	15/16" - 1"	11"	13/32"		5 lbs.	5 oz.
C1034	7/8" - 1 1/16"	11"	13/32"		5 lbs.	5 oz.
C1735	1" - 1 1/8"	12 1/2"	15/32"		7 lbs.	5 oz.
C1737	1 1/8" - 1 1/4"	12 3/4"	1/2"		12 lbs.	6 oz.

COMBINATION OPEN-END AND BOX WRENCHES

C1160	3/8"	5"	11/64"	17/64"	5/8"	6 1/2 oz.
C1161	1/2"	5 3/8"	13/64"	5/16"	43/64"	9 1/2 oz.
C1162	9/16"	6"	15/64"	11/32"	25/32"	14 oz.
C1163	5/8"	6 3/4"	9/32"	23/64"	7/8"	1 lb. 4 oz.
C1164	11/16"	7 5/8"	9/32"	3/8"	15/16"	1 lb. 5 1/2 oz.
C1165	3/4"	8 1/2"	19/64"	13/32"	1 1/32"	1 lb. 14 1/2 oz.
C1166	13/16"	9 1/2"	11/32"	7/16"	1 9/32"	2 lbs. 8 oz.
C1167-A	7/8"	11"	23/64"	1/2"	1 1/32"	3 lbs. 10 oz.
C1167	15/16"	11"	23/64"	1/2"	1 9/32"	3 lbs. 10 oz.
C1168	1"	13"	7/16"	9/16"	1 15/32"	5 lbs. 9 oz.
C1170	1 1/8"	15"	15/32"	5/8"	1 19/32"	9 lbs. 2 oz.
C1171	1 1/16"	15"	15/32"	19/32"	1 19/32"	8 lbs. 4 oz.
C1172	1 1/8"	18"	17/32"	23/32"	1 13/16"	12 lbs. 12 oz.

12 POINT, 45°, DOUBLE-OFFSET BOX WRENCHES

C8723	3/8" - 7/16"	6"				12 1/2 oz.
C8725	7/16" - 1/2"	6 5/8"				13 oz.
C8725-B	1/2" - 9/16"	7 3/4"				1 lb. 7 oz.
C8727	9/16" - 5/8"	9"				2 lbs.
C8729	5/8" - 3/4"	10 1/2"				2 lbs. 4 oz.
C8731-A	3/4" - 7/8"	12 1/2"				3 lbs. 9 oz.
C8731-B	13/16" - 7/8"	12 3/4"				4 lbs. 9 oz.
C8033-C	15/16" - 1"	15 1/2"				9 lbs. 2 oz.
C8034	7/8" - 1 1/16"	15 1/2"				9 lbs. 2 oz.

Packed — Six in a carton.


Openings are accurately machined to fit standard sizes of nuts, bolts, cap screws, etc. Sizes of these for each wrench listed on box covers for convenience of sales personnel.

Wrenches are drop forged from special alloy steel particularly adapted to wrench manufacture.

Finish: Chromium plate.

Available in kits in either rolls or pouches (see pages 7 and 8) and on displays to match others in the Crescent DB1200 Series (page 48).

These wrenches conform to Fed. Spec. GGG-W-636a, Types III, IV and Type I, Class 2 Style A.



CRESCENT TOOLS

Give Wings to Work

"The Hardware Line" OF CRESCENT SOLID WRENCHES IN TOOL ROLLS



TR1105 — 5 PIECE ROLL COMBINATION WRENCHES

1 C1161	7/16"
1 C1162	1/2"
1 C1163	9/16"
1 C1164	5/8"
1 C1165	11/16"

Packed one in a box.

Shipping Weight, 1 lb., 3 oz.



TR1105

CONVENIENCE

The rolls have cloth ties that keep the tools securely in place. The transparent fronts show size markings on the wrenches. Eyelets in corners for hanging up rolls either for convenience while using or for store display.

MOST WANTED SIZES

The wrenches that come in these assortments are those sizes most frequently used. Purchasers have their choice of five, six or eleven piece sets.

TR1106 — 6 PIECE ROLL COMBINATION WRENCHES

1 C1161	7/16"
1 C1162	1/2"
1 C1163	9/16"
1 C1164	5/8"
1 C1165	11/16"
1 C1166	3/4"

Packed one in a box.

Shipping Weight, 1 lb., 8 oz.



TR1106



TR1705

TR1705 — 5 PIECE ROLL OPEN END WRENCHES

1 C1020	1/4" x 5/16"
1 C1723	3/8" x 7/16"
1 C1725B	1/2" x 9/16"
1 C1729	5/8" x 3/4"
1 C1731B	13/16" x 7/8"

Packed one in a box.

Shipping Weight, 1 lb., 6 oz.




TR1706

TR1706 — 6 PIECE ROLL OPEN END WRENCHES

1 C1020	1/4" x 5/16"
1 C1723	3/8" x 7/16"
1 C1725B	1/2" x 9/16"
1 C1729	5/8" x 3/4"
1 C1731B	13/16" x 7/8"
1 C1033C	15/16" x 1"

Packed one in a box.

Shipping Weight, 1 lb., 11 oz.



TR1111

TR1111 — 11 PIECE ROLL — COMBINATION WRENCHES

1 C1160	3/8"	1 C1165	11/16"
1 C1161	7/16"	1 C1166	3/4"
1 C1162	1/2"	1 C1167A	13/16"
1 C1163	9/16"	1 C1167	7/8"
1 C1164	5/8"	1 C1168	15/16"
		1 C1170	1"

Packed one in a box.

Shipping Weight, 5 lbs., 4 oz.

CRESCENT TOOLS
Give Wings to Work


"The Hardware Line" OF CRESCENT SOLID WRENCHES IN TOOL POUCHES

ATTRACTIVE PACKAGING

Bright red vinyl plastic forms the back of these tool pouches and the fronts are the same material, but transparent for easy selection of needed sizes. The binding is of leatherette material. The Crescent trademark printed in white and the chrome finish of the wrenches contrasting with the red makes these sets exceptionally eye appealing.

PACKED ONE IN A BOX

Nine different assortments are available, five in rolls and four in pouches. Illustrations and all details — pouches on this page and rolls on page opposite.



TP1706 — 6 PIECE POUCH

OPEN END WRENCHES



1 C1020	1/4" x 5/16"
1 C1723	3/8" x 7/16"
1 C1725B	1/2" x 9/16"
1 C1729	5/8" x 3/4"
1 C1731B	13/16" x 7/8"
1 C1033C	15/16" x 1"

TP1706 Packed one in a box.
Shipping Weight, 1 lb., 10 oz.

TP1705 — 5 PIECE POUCH

OPEN END WRENCHES



1 C1020	1/4" x 5/16"
1 C1723	3/8" x 7/16"
1 C1725B	1/2" x 9/16"
1 C1729	5/8" x 3/4"
1 C1731B	13/16" x 7/8"

TP1705 Packed one in a box.
Shipping Weight, 1 lb., 5 oz.

TP1106 — 6 PIECE POUCH

COMBINATION WRENCHES

1 C1161	7/16"
1 C1162	1/2"
1 C1163	9/16"
1 C1164	5/8"
1 C1165	11/16"
1 C1166	3/4"

Packed one in a box.
Shipping Weight, 1 lb., 7 oz.



TP1106

TP1105 — 5 PIECE POUCH

COMBINATION WRENCHES

1 C1161	7/16"
1 C1162	1/2"
1 C1163	9/16"
1 C1164	5/8"
1 C1165	11/16"

Packed one in a box.
Shipping Weight, 1 lb., 2 oz.



TP1105

CRESCENT SOCKET WRENCHES

"The Hardware Line"



1/4" SQUARE DRIVE


These items conform to Fed. Spec. GGG-W-641b.



CM600 SERIES



CM800 SERIES



"MIDGET" SOCKETS AND ATTACHMENTS

Especially designed for workmen whose tasks include adjustment and maintenance of fine and intricate machinery. The finely made sockets slip on and off handles and attachments easily — but not accidentally.

PRECISION MACHINED

The skill of a watchmaker is exercised in the manufacture of these small items. Note the clean, sharp teeth that grip the nut hard, yet let go as soon as pressure is released. Note the thin walls of uniform thickness that stand up under hard use.



6 POINT SOCKETS

NUMBER	SIZE	WEIGHT PER HALF DOZ.	NUMBER	SIZE	WEIGHT PER HALF DOZ.
CM606	3/16"	3 oz.	CM611	1 1/32"	4 1/2 oz.
CM607	7/32"	3 oz.	CM612	3/8"	5 1/2 oz.
CM608	1/4"	3 1/2 oz.	CM614	7/16"	6 1/2 oz.
CM609	9/32"	3 1/2 oz.	CM616	1/2"	7 1/2 oz.
CM610	5/16"	3 1/2 oz.			

8 POINT SOCKETS

CM808	1/4"	3 1/2 oz.	CM812	3/8"	5 1/2 oz.
CM810	5/16"	4 1/2 oz.			

HANDLES, ATTACHMENTS

NUMBER	ITEM	PACKED	WEIGHT, EA.
CM4	2" Extension	6	2 oz.
CM12	6" Extension	6	2 1/2 oz.
CM17	Flex Handle	3	4 1/2 oz.
CM21	Cross Bar	6	1 1/2 oz.
CM70	Reversible Ratchet	1	3 1/2 oz.

Finish: All items chromium plated.

Sets available in metal boxes. See page 10 for details.

CRESCENT TOOLS
Give Wings to Work

There is a CRESCENT SOCKET SET for every requirement

CRESCENT SOCKET WRENCH SETS

These items carry out the Crescent policy of providing quality tools at moderate prices. Users of socket wrenches can depend on the strength of these tools, their accurate fit on nuts and bolts, and the ease with which sockets and drives fit together. Ratchets have fine teeth, assuring their ability to work in close quarters where only a minimum swing is possible. These sets come in good looking sturdy metal boxes with hinged covers. Bolts and nuts stay tight when turned down with Crescent Sockets.



**SQUARE DRIVE
BASIC SET
No. CMB11**



**SQUARE DRIVE
MECHANICS' SET
No. CMB16**

"The Hardware Line"

BASIC "MIDGET" SOCKET SET No. CMB11 1/4" SQUARE DRIVE

This eleven piece set contains essential items for the average occasional user of socket wrenches. Packed in metal box 6½ x 3 x 1¼ inches with hinged cover. Room for additional items which may be purchased later.

Contents as follows:

1 CM17 Flex Handle	1 CM612 3/8" 6 Point Socket
1 CM21 Cross Bar	1 CM614 7/16" 6 Point Socket
1 CM608 1/4" 6 Point Socket	1 CM808 1/4" 8 Point Socket
1 CM609 5/32" 6 Point Socket	1 CM810 5/16" 8 Point Socket
1 CM610 3/16" 6 Point Socket	1 CM812 3/8" 8 Point Socket
1 CM611 11/32" 6 Point Socket	

Shipping weight, 1 lb. 4 oz.

MECHANICS' "MIDGET" SOCKET SET No. CMB16 1/4" SQUARE DRIVE

A complete set for those who work on small machines and equipment and require strength and long life in the tools they use. This set is packed in a sturdy metal box 6½ x 3 x 1¼ inches with hinged cover. This box fits into the corner of the box containing Crescent's 1/2" drive set No. CSB18.

Contents as follows:

1 CM4 2" Extension	1 CM609 5/32" 6 Point Socket
1 CM12 6" Extension	1 CM610 3/16" 6 Point Socket
1 CM17 Flex Handle	1 CM611 11/32" 6 Point Socket
1 CM21 Cross Bar	1 CM612 3/8" 6 Point Socket
1 CM70 Reversible Ratchet	1 CM614 7/16" 6 Point Socket
1 CM606 3/8" 6 Point Socket	1 CM808 1/4" 8 Point Socket
1 CM607 1/2" 6 Point Socket	1 CM810 5/16" 8 Point Socket
1 CM608 1/4" 6 Point Socket	1 CM812 3/8" 8 Point Socket

Shipping weight, 1 lb. 14 oz.

CRESCENT TOOLS
Give Wings to Work

CRESCENT SOCKET WRENCHES

"The Hardware Line"




SQUARE DRIVE



12 POINT REGULAR SOCKETS — CT12 SERIES



12 POINT DEEP SOCKETS — CTD12 SERIES



12 POINT FLEX SOCKETS — CTF12 SERIES

The $\frac{3}{8}$ " square drive is used extensively in maintenance work on modern automobiles, aircraft, small machinery, etc. The items shown here are sturdy and strong, yet their thin walls get them into close quarters with ease. Hot forged or broached from special alloy steel.

These items conform to Fed. Spec. GGG-W-641b.

12 POINT STANDARD SOCKETS

Number	Size	Weight Per Half Doz.
CT1212	$\frac{3}{8}$ "	3 oz.
CT1214	$\frac{7}{16}$ "	3 oz.
CT1216	$\frac{1}{2}$ "	4½ oz.
CT1218	$\frac{9}{16}$ "	6 oz.
CT1220	$\frac{5}{8}$ "	6½ oz.
CT1222	$\frac{11}{16}$ "	7 oz.
CT1224	$\frac{3}{4}$ "	8 oz.

12 POINT DEEP SOCKETS

Number	Size	Weight Per Half Doz.
CTD1212	$\frac{3}{8}$ "	10 oz.
CTD1214	$\frac{7}{16}$ "	10 oz.
CTD1216	$\frac{1}{2}$ "	11½ oz.
CTD1218	$\frac{9}{16}$ "	12 oz.
CTD1220	$\frac{5}{8}$ "	13½ oz.
CTD1222	$\frac{11}{16}$ "	1 lb. 7 oz.
CTD1224	$\frac{3}{4}$ "	1 lb. 8½ oz.
CTD1226	$\frac{13}{16}$ "	1 lb. 11 oz.

12 POINT FLEX SOCKETS

Makes it easy to work in hard to reach places.

Number	Size	Weight Per Half Doz.
CTF1212	$\frac{3}{8}$ "	7 oz.
CTF1214	$\frac{7}{16}$ "	7½ oz.
CTF1216	$\frac{1}{2}$ "	8 oz.
CTF1218	$\frac{9}{16}$ "	8½ oz.
CTF1220	$\frac{5}{8}$ "	10 oz.
CTF1222	$\frac{11}{16}$ "	11 oz.
CTF1224	$\frac{3}{4}$ "	11½ oz.

HANDLES, DRIVES AND ATTACHMENTS


Spring ball locks sockets firmly in place.

Number	Item	Packed In Box	Weight Per Box
CT11	Universal	6	9 oz.
CT12	5" Ext.	6	1 lb. 1 oz.
CT13	12" Ext.	3	1 lb. 3 oz.
CT15	Speeder	1	8 oz.
CT17	Flex. Hdl.	3	1 lb. 6½ oz.
CT21	Cross Bar	6	8 oz.
CT22	3" Ext.	6	11 oz.
CT70	Rev. Rcht.	1	7 oz.
CT70K	Ratchet Rep. Kit	1	¾ oz.

The Crescent line of $\frac{3}{8}$ " square drive sockets and handles includes only the most used sizes and will handle the wide variety of small nuts found on modern equipment of all types. Chamfered drive openings help in speedy changes from one size to another. Accuracy in all machine operations assures accurate fit on standard nuts and bolts.

Chromium plated finish. All sockets packed six in a box. Drives, handles, etc., packed as indicated. Sold only in full packages.

Several sets available. See page 12. Display panel shown on page 49.



There is a CRESCENT SOCKET SET for every requirement

CRESCENT SOCKET WRENCH SETS

3/8" SQUARE DRIVE



CTB30



CTB14



CTB10



CTDB8



CTFB7

One of these sets will take care of almost any requirement for users of 3/8" Square Drive Sockets. All metal boxes are made of heavy gauge steel with piano hinge and sturdy catch.

COMPLETE SET No. CTB30 — 30 PC.

One each of the following in a box 18 1/4" x 6" x 1 3/4" with suitable partitions to keep items in position for easy selection.

12 Pt. Standard Sockets

CT1212 — 3/8"
CT1214 — 7/16"
CT1216 — 1/2"
CT1218 — 9/16"
CT1220 — 5/8"
CT1222 — 11/16"
CT1224 — 3/4"

12 Pt. Deep Sockets

CTD1212 — 3/8"
CTD1214 — 7/16"
CTD1216 — 1/2"
CTD1218 — 9/16"
CTD1220 — 5/8"
CTD1222 — 11/16"
CTD1224 — 3/4"
CTD1226 — 13/16"

12 Pt. Flex Sockets

CTF1212 — 3/8"
CTF1214 — 7/16"
CTF1216 — 1/2"
CTF1218 — 9/16"
CTF1220 — 5/8"
CTF1222 — 11/16"
CTF1224 — 3/4"

Attachments

CT11 — Universal Joint
CT12 — 5" Extension
CT13 — 12" Extension
CT15 — Speeder

CT17 — Flex Handle
CT21 — Cross Bar
CT22 — 3" Extension
CT70 — Reversible Ratchet

Packed in carton. Shipping weight: 10 1/4 lbs.

STANDARD SET No. CTB14 — 14 PC.

Same box as above. Provides space for addition of items later. One each of following:

12 Point Standard Sockets

CT1212 — 3/8"
CT1214 — 7/16"
CT1216 — 1/2"
CT1218 — 9/16"
CT1220 — 5/8"
CT1222 — 11/16"
CT1224 — 3/4"

Attachments

CT11 — Universal Joint
CT12 — 5" Extension
CT13 — 12" Extension
CT15 — Speeder
CT17 — Flex Handle
CT21 — Cross Bar
CT70 — Reversible Ratchet

Packed in carton. Shipping weight: 8 lbs.

BASIC SET No. CTB10 — 10 PC.

One each of the following in a steel box 9 1/4" x 3 1/4" x 1 5/8":

12 Point Standard Sockets

CT1212 — 3/8"
CT1214 — 7/16"
CT1216 — 1/2"
CT1218 — 9/16"
CT1220 — 5/8"
CT1222 — 11/16"

CT1224 — 3/4"

Attachments:

CT17 — Flex Handle
CT22 — 3" Extension
CT70 — Reversible Ratchet

Packed in a box. Shipping weight: 3 lbs.

FLEX SOCKET SET No. CTFB7 — 7 PC.

Consists of one each of the following in a cardboard box:

CTF1212 — 3/8"
CTF1214 — 7/16"
CTF1216 — 1/2"
CTF1218 — 9/16"
CTF1220 — 5/8"
CTF1222 — 11/16"
CTF1224 — 3/4"

Shipping weight: 12 1/2 oz.

DEEP SOCKET SET No. CTDB8 — 8 PC.

One each of the following in a cardboard box:

CTD1212 — 3/8"
CTD1214 — 7/16"
CTD1216 — 1/2"
CTD1218 — 9/16"
CTD1220 — 5/8"
CTD1222 — 11/16"
CTD1224 — 3/4"
CTD1226 — 13/16"

Shipping weight: 1 lb. 6 oz.

CRESCENT TOOLS
Give Wings to Work

CRESCENT SOCKET WRENCHES

"The Hardware Line"




SQUARE DRIVE

These items conform to Fed. Spec. GGG-W-641b.

HANDLES, DRIVES, ATTACHMENTS

All parts are made with extreme accuracy so that sockets can be put on and removed easily, yet cannot pull off accidentally. Flex handles and universal joints are hot riveted and finished flush making them less bulky. Heads of extensions are drilled to take a cross bar, enabling them to be used as "L" or "T" handles.




POSITIVE ACTION RATCHET

has small head so as to work freely in close places. Fine teeth save motion and works in space where

only snort movement is possible. Quickly reversible.

SLIDE T HANDLE

has concealed ball that stops slide flush with either end of bar and prevents it from coming off. This also provides constant friction which holds slide in any position



UNIVERSAL JOINT

is short coupled and adjusts to a complete 180° angle so it will go into close places where other types cannot be

used. Built in spring tension holds socket in any position for quick placement on nut.

SPRING LOCKED BALL

in square end of all fittings fits the lock hole in each socket and socket will not rock off or drop off while in use. This feature alone saves considerable time.



ITEMS AVAILABLE

NUMBER	ITEM	PACKED	WEIGHT, EA.
CS11	Universal Joint	6	4 oz.
CS12	5" Extension	6	4 oz.
CS13	10" Extension	6	12 oz.
CS14	Slide T Handle	6	1 lb.
CS16	18" Speeder Handle	1	1 lb. 6 oz.
CS18	18" Flex Handle	3	1 lb. 12 oz.
CS21	11" Cross Bar, 3/8" diam.	6	5 1/4 oz.
CS70	10" Reversible Ratchet	1	1 lb. 6 oz.
CS70K	Ratchet Renewal Kit	1	5 1/2 oz.

Finish: All items chromium plated.



CRESCENT TOOLS
Give Wings to Work

CRESCENT SOCKET WRENCHES

"The Hardware Line"



SQUARE DRIVE

HOT FORGED OR BROACHED

These items conform to Fed. Spec. GGG-W-641b.

This method of manufacture assures a sure, perfect grip on all kinds of work because the teeth are always smooth and accurate.

A superior grade of alloy steel enables Crescent Sockets to have thinner than average side walls with no sacrifice of strength. All excess metal has been removed leaving clean, streamlined sockets that are a pleasure to use.



CS1212 to
CS1220

CS1222 to
CS1232

CS1234 to
CS1240




CS812 to
CS824



CSD1216 to
CSD1218

CSD1220 to
CSD1230

CSD1232 to
CSD1236



**CHAMFERED
DRIVE
OPENINGS**

—an "extra" feature of Crescent Sockets that makes them slip on and off the various handles and drives quickly and easily, speeding up work. Each socket has lock hole to fit the spring locked ball on the end of all handles and extensions.

12 POINT SOCKETS

NUMBER	SIZE	WEIGHT PER HALF DOZ.	NUMBER	SIZE	WEIGHT PER HALF DOZ.
CS1212	3/8"	7 1/2 oz.	CS1226	1 1/16"	1 lb.
CS1214	7/16"	7 1/2 oz.	CS1228	7/8"	1 lb. 3 1/2 oz.
CS1216	1/2"	8 oz.	CS1230	15/16"	1 lb. 6 oz.
CS1218	9/16"	8 oz.	CS1232	1"	1 lb. 9 oz.
CS1219	19/32"	8 1/2 oz.	CS1234	1 1/16"	1 lb. 11 oz.
CS1220	5/8"	10 1/2 oz.	CS1236	1 1/8"	2 lb. 1 oz.
CS1222	11/16"	10 1/2 oz.	CS1238	1 3/16"	3 lb.
CS1224	3/4"	11 oz.	CS1240	1 1/4"	3 lb.

8 POINT SOCKETS

CS812	3/8"	6 oz.	CS820	5/8"	14 oz.
CS814	7/16"	6 oz.	CS822	11/16"	1 lb.
CS816	1/2"	6 oz.	CS824	3/4"	1 lb. 5 1/2 oz.
CS818	9/16"	10 1/2 oz.			

12 POINT DEEP SOCKETS

CSD1216	1/2"	1 lb. 11 oz.	CSD1228	7/8"	2 lb. 8 oz.
CSD1218	9/16"	1 lb. 11 1/2 oz.	CSD1230	15/16"	2 lb. 15 oz.
CSD1220	5/8"	1 lb. 6 1/2 oz.	CSD1232	1"	3 lb. 1 oz.
CSD1222	11/16"	1 lb. 14 oz.	CSD1236	1 1/8"	3 lb. 14 oz.
CSD1224	3/4"	2 lb. 2 oz.			
CSD1226	13/16"	1 lb. 14 oz.			

All sockets packed six in a box.


All items chromium plated.

Various drives, handles, extensions for efficient use of these sockets are shown on next page. For sets in metal tool boxes, see pages 15 and 16.

CRESCENT TOOLS
Give Wings to Work

There is a CRESCENT SOCKET SET for every requirement

CRESCENT SOCKET WRENCH SETS




CSB18



CSB12



CSB15



CSDB10

Fine tool sets with contents selected to care for average requirements. See pages 13 and 14 for description of individual pieces.

1/2" SQUARE DRIVE COMPLETE SET No. CSB18

All items needed by constant users of 1/2" drive sockets. Box large enough so that additional items may be added, if needed for special purposes.

Contents:

1 CS70	10 1/2" Reversible Ratchet	1 CS1220	5/8" 12 Point Socket
1 CS16	Speeder Handle	1 CS1222	1 1/16" 12 Point Socket
1 CS14	Slide T Handle	1 CS1224	3/4" 12 Point Socket
1 CS18	Flex Handle	1 CS1226	13/16" 12 Point Socket
1 CS12	5" Extension	1 CS1228	7/8" 12 Point Socket
1 CS13	10" Extension	1 CS1230	15/16" 12 Point Socket
1 CS1214	7/16" 12 Point Socket	1 CS1232	1" 12 Point Socket
1 CS1216	1/2" 12 Point Socket	1 CS1234	1 1/16" 12 Point Socket
1 CS1218	9/16" 12 Point Socket	1 CS1236	1 1/8" 12 Point Socket

Box size, 21" x 7" x 2 3/8" with piano hinged cover and sturdy hasps. Made of heavy gage steel, enameled in attractive gray color. Shipping weight, 14 1/2 lbs. each.

BASIC SET No. CSB12

This set contains those sockets in most general use and a minimum of attachments giving the purchaser a useful set at a low price. Can be added to later.

Contents:

1 CS18	Flex Handle	1 CS1222	1 1/16" 12 Point Socket
1 CS21	11" Cross Bar	1 CS1224	3/4" 12 Point Socket
1 CS1214	7/16" 12 Point Socket	1 CS1226	13/16" 12 Point Socket
1 CS1216	1/2" 12 Point Socket	1 CS1228	7/8" 12 Point Socket
1 CS1218	9/16" 12 Point Socket	1 CS1230	15/16" 12 Point Socket
1 CS1220	5/8" 12 Point Socket	1 CS1232	1" 12 Point Socket

Shipping weight, 7 1/4 lbs. each. Sturdy steel box with hinged cover and strong hasp. Gray enamel finish. Box size, 18 x 4 x 2 1/4 in.

SPECIAL SET No. CSB15

A set for those with medium requirements with plenty of space for the addition of other items.

Contents:

1 CS70	10 1/2" Reversible Ratchet	1 CS1224	3/4" 12 Point Socket
1 CS18	Flex Handle	1 CS1226	13/16" 12 Point Socket
1 CS21	11" Cross Bar	1 CS1228	7/8" 12 Point Socket
1 CS1214	7/16" 12 Point Socket	1 CS1230	15/16" 12 Point Socket
1 CS1216	1/2" 12 Point Socket	1 CS1232	1" 12 Point Socket
1 CS1218	9/16" 12 Point Socket	1 CS1234	1 1/16" 12 Point Socket
1 CS1220	5/8" 12 Point Socket	1 CS1236	1 1/8" 12 Point Socket
1 CS1222	1 1/16" 12 Point Socket		

Strong steel box with hinged cover and sturdy catch. Gray enamel finish. Box size, 18 x 4 x 2 1/4 in. Shipping weight, 9 1/4 lbs. each.

DEEP SOCKET SET No. CSDB10

These special thin wall deep sockets have many uses and this set contains those sizes most frequently used. They can be used with any of the attachments listed for 1/2" square drive sockets shown on page 5F.

Contents:

1 CSD1216	1/2" 12 Pt. Deep Socket	1 CSD1226	13/16" 12 Pt. Deep Socket
1 CSD1218	9/16" 12 Pt. Deep Socket	1 CSD1228	7/8" 12 Pt. Deep Socket
1 CSD1220	5/8" 12 Pt. Deep Socket	1 CSD1230	15/16" 12 Pt. Deep Socket
1 CSD1222	1 1/16" 12 Pt. Deep Socket	1 CSD1232	1" 12 Pt. Deep Socket
1 CSD1224	3/4" 12 Pt. Deep Socket	1 CSD1236	1 1/8" 12 Pt. Deep Socket

Packed in a cardboard box. Shipping weight, 3 lbs. 12 oz. each.

CRESCENT TOOLS
Give Wings to Work®

There is a CRESCENT SOCKET SET for every requirement

CRESCENT SOCKET WRENCH SETS

On this and other pages are shown CRESCENT Socket Wrench Sets that will take care of the requirements of the most exacting tool user. The contents of each unit have been worked out with very definite requirements in mind including future expansion. The steel boxes are roomy and sturdy — roomy so additional items can be added from time to time to take care of special needs, and sturdy to give a lifetime of service and protection to their contents.



COMBINATION SET



and



SQUARE DRIVE

No. CSMB34

Weight 16 1/2 lbs.

"The Hardware Line"

COMBINATION SET No. CSMB34

This is a combination of 1/2" square drive set number CSB18 and 1/4" square drive set number CMB16. The small box containing the 1/4" drive items fits in the corner of the larger box without crowding. List of all items is as follows:

1/2" Square Drive Sockets and Attachments

CS70	10 1/2" Reversible Ratchet
CS16	Speeder Handle
CS12	5" Extension
CS13	10" Extension
CS14	Slide T Handle
CS18	T Flex Handle
CS1214	7/16" 12 Point Socket
CS1216	1/2" 12 Point Socket
CS1218	9/16" 12 Point Socket
CS1220	5/8" 12 Point Socket
CS1222	11/16" 12 Point Socket
CS1224	3/4" 12 Point Socket
CS1226	13/16" 12 Point Socket
CS1228	7/8" 12 Point Socket
CS1230	15/16" 12 Point Socket
CS1232	1" 12 Point Socket
CS1234	1 1/16" 12 Point Socket
CS1236	1 1/8" 12 Point Socket

1/4" Square Drive Sockets and Attachments

CM70	Reversible Ratchet
CM17	Flex Handle
CM21	Cross Bar
CM4	2" Extension
CM12	6" Extension
CM606	3/16" 6 Point Socket
CM607	7/32" 6 Point Socket
CM608	1/4" 6 Point Socket
CM609	9/32" 6 Point Socket
CM610	5/16" 6 Point Socket
CM611	11/32" 6 Point Socket
CM612	3/8" 6 Point Socket
CM614	7/16" 6 Point Socket
CM808	1/4" 8 Point Socket
CM810	5/16" 8 Point Socket
CM812	3/8" 8 Point Socket

Complete with two sturdy metal boxes as shown.
Packed in carton, shipping weight 16 1/2 lbs.

CRESCENT TOOLS
Give Wings to Work


CRESCENT SOCKET WRENCHES

"The Hardware Line"

3/4" SQUARE DRIVE



CH12 SERIES



These items conform to Fed. Spec. GGG-W-641b.

Here are sockets and attachments with all the brute strength needed for working on heavy duty equipment in industry, on the farm or anywhere there are big nuts to tighten — and loosen.

Sockets accurately made to fit nuts correctly and attachments built big enough to give all the leverage needed.

Spring ball in each drive square fits hole in all sockets so they will "stay put" until removed.

12 POINT STANDARD SOCKETS

Cat. Number	Size	Weight Per Box of Three	Cat. Number	Size	Weight Per Box of Three
CH1228	7/8"	15 oz.	CH1246	1 7/16"	2 lb.
CH1230	1 1/16"	1 lb. 1 oz.	CH1248	1 1/2"	2 lb. 9 oz.
CH1232	1"	1 lb. 2 oz.	CH1250	1 9/16"	3 lb.
CH1234	1 1/8"	1 lb. 4 oz.	CH1252	1 5/8"	3 lb.
CH1236	1 1/4"	1 lb. 4 oz.	Box of two:		
CH1238	1 3/8"	1 lb. 8 oz.	CH1254	1 11/16"	2 lb. 11 oz.
CH1240	1 1/2"	1 lb. 8 oz.	CH1256	1 3/4"	2 lb. 12 oz.
CH1242	1 5/8"	1 lb. 11 oz.	CH1258	1 13/16"	2 lb. 14 oz.
CH1244	1 3/4"	1 lb. 12 oz.	CH1260	1 7/8"	3 lb. 4 oz.
			CH1264	2"	3 lb. 8 oz.

HANDLES, ATTACHMENTS

Cat. Number	Item	Weight Each
CH11	Slide Tee Handle — 20"	3 lb.
CH12	8" Extension	8 1/2 oz.
CH13	16" Extension	1 lb. 9 oz.
CH18	Flex Handle — 21"	1 lb. 5 oz.
CH70	Reversible Ratchet — 21"	3 lb. 9 oz.
CH70K	Ratchet Renewal Kit	1 lb.

All sockets packed three in a box except 5 largest which are 2 in a box; handles, attachments, one in a box. Sold only in full packages.

Finish: All items chromium plated.

Several sets available. See page 18.

CRESCENT TOOLS
Give Wings to Work

There is a CRESCENT SOCKET SET for every requirement

CRESCENT SOCKET WRENCH SETS


3/4" SQUARE DRIVE



CHB20



CHB11



CHB10

CRESCENT 3/4" Drive Sockets and Attachments are real sturdy, strong, heavy duty equipment.

These sets are made up with average requirements in mind and all have room for additional items.

Heavy gauge steel boxes, with handles on both ends for carrying. Strong hasp, with eye for lock. Piano hinge full width of box.

COMPLETE SET CHB20 — 20 PC.

One each of the following in a box 22" x 8 1/4" x 3 1/4":

12 Point Standard Sockets

CH1232 — 1"	CH1242 — 1 5/8"	CH1252 — 1 5/8"
CH1234 — 1 1/16"	CH1244 — 1 3/8"	CH1254 — 1 11/16"
CH1236 — 1 1/8"	CH1246 — 1 7/16"	CH1256 — 1 3/4"
CH1238 — 1 3/16"	CH1248 — 1 1/2"	CH1258 — 1 13/16"
CH1240 — 1 1/4"	CH1250 — 1 5/16"	CH1260 — 1 7/8"
		CH1264 — 2"

Handles, Attachments

CH11 — Slide Tee	CH13 — 16" Extension
CH12 — 8" Extension	CH70 — Reversible Ratchet

Packed in carton. Shipping weight: 33 lbs.

STANDARD SET CHB11 — 11 PC.

One each of the following in a box 22 3/4" x 6 1/4" x 3":

12 Point Standard Sockets

CH1234 — 1 1/16"	CH1252 — 1 5/8"
CH1236 — 1 1/8"	<i>Attachments:</i>
CH1240 — 1 1/4"	CH11 — Slide Tee Handle
CH1244 — 1 3/8"	CH12 — 8" Extension
CH1246 — 1 7/16"	CH13 — 16" Extension
CH1248 — 1 1/2"	CH70 — Reversible Ratchet

Packed in carton. Shipping weight: 22 1/2 lbs.

BASIC SET CHB10 — 10 PC.

One each of the following in a box 22 3/4" x 6 1/4" x 3":

12 Point Standard Sockets

CH1234 — 1 1/16"	CH1252 — 1 5/8"
CH1236 — 1 1/8"	<i>Attachments:</i>
CH1240 — 1 1/4"	CH11 — Slide Tee Handle
CH1244 — 1 3/8"	CH12 — 8" Extension
CH1246 — 1 7/16"	CH13 — 16" Extension
CH1248 — 1 1/2"	

Packed in carton. Shipping weight: 17 1/4 lbs.

CRESCENT TOOLS
Give Wings to Work

CRESCENT NORMAL DUTY PIPE WRENCHES



Handle and Jaws forged from special steel and fully heat treated to give correct hardness.

Springs accurately tempered to give proper tension, insuring long life.

Method of mounting frame on handle gives the springs positive action for quick grip and release.

These are well designed, well made tools that will give a lifetime of service under normal working conditions. Teeth are sharp, and will stay that way for positive gripping action over a long period of service.

SPECIFICATIONS


Cat. Number	Size of Wrench	Pipe Capacity	Weight Ea., Packed
WS16	6 in.	$\frac{1}{8}$ " to $\frac{1}{2}$ "	6 oz.
WS18	8 in.	$\frac{1}{8}$ " to $\frac{3}{4}$ "	11 oz.
WS110	10 in.	$\frac{1}{8}$ " to 1"	1 lb. 8 oz.
WS114	14 in.	$\frac{1}{4}$ " to 1 $\frac{1}{2}$ "	3 lbs.
WS118	18 in.	$\frac{1}{4}$ " to 2"	4 lbs. 8 oz.
WS124	24 in.	$\frac{1}{4}$ " to 2 $\frac{1}{2}$ "	7 lbs. 8 oz.

Finish — Flat surfaces polished. Red enameled handle.

Packed — One in a box.

Conform to Fed. Spec. GGG-W-651b — Type I, Class A.

REPLACEMENT PARTS FOR CRESCENT STILLSON WRENCHES



Uniformity of construction guarantees perfect fit.

Be sure to specify type, number and size of wrench when ordering parts.

CRESCENT TOOLS
Give Wings to Work

"CRESCENT" is our trademark, registered in U. S. and Foreign Countries

CRESCENT HEAVY DUTY PIPE WRENCHES

Here are pipe wrenches with all the ruggedness needed for the heaviest kind of work. First the handle of high grade alloy gives strength with lower weight. Next, the hook and heel jaws of special analysis steel, triple heat treated to obtain correct hardness and do away with any tendency to crush, bend or chip the teeth.

Smooth operation of all parts makes adjustment quick and easy, and all parts are precision made.

Every wrench completely tested before leaving the factory and guaranteed to exceed all Government Specifications.

SPECIFICATIONS

Cat. Number	Size of Wrench	Pipe Capacity	Weight Ea., Packed
WH46	6 in.	$\frac{1}{8}$ " to $\frac{3}{4}$ "	8 oz.
WH48	8 in.	$\frac{1}{8}$ " to 1"	1 lb.
WH410	10 in.	$\frac{1}{8}$ " to 1 $\frac{1}{2}$ "	2 lbs.
WH412	12 in.	$\frac{1}{8}$ " to 2"	3 lbs.
WH414	14 in.	$\frac{1}{4}$ " to 2"	3 lbs. 8 oz.
WH418	18 in.	$\frac{1}{4}$ " to 2 $\frac{1}{2}$ "	5 lbs. 8 oz.
WH424	24 in.	$\frac{1}{4}$ " to 3"	9 lbs. 11 oz.

Finish — Flat surfaces polished. Red enameled handle.



Packed — One in a box.

Conform to Fed. Spec. GGG-W-651b — Type II, Class A.

REPLACEMENT PARTS FOR CRESCENT HEAVY DUTY PIPE WRENCHES

Accuracy throughout all operations insures perfect fit of parts at all times.

Be sure to give type, number and size of wrench when ordering parts.



CRESCENT TOOLS
Give Wings to Work

SLIP JOINT PLIERS

**MADE
THE
CRESCENT
WAY**



CRESCENT UNIVERSAL PLIER

A plier for heavy duty. Drop forged from special steel. One jaw is curved, giving a firm grip upon objects of any shape and a groove in the other jaw enables the plier to grip pins or other round objects.

Finish: Chromium plate.

Number	Size	Capacity	Weight
D27	7"	1"	9 oz.

Packed—One in a box.



MoToR KIT COMBINATION PLIER

A high grade, hand finished tool. Special steel, accurately machined and hardened by special processes, makes this a tool that will answer the requirements of the most exacting trade. Bolt and nut turned from solid bar of steel and case hardened.

Finish: Chromium plate.

Number	Size	Capacity	Weight
G25	5"	3/4"	4 oz.
G26	6"	1"	7 oz.
G28	8"	1 1/4"	10 oz.
G210	10"	1 1/2"	18 oz.

Packed—One in a box.



CEE TEE CO COMBINATION PLIER

Conforms to Fed. Spec. GGG-P-471a—Type F, Class 1, Style 1.

This tool meets the demand for a guaranteed plier at a low price. It is forged from special analysis steel, as are all other Crescent pliers, carefully machined, hardened and oil tempered.

Finish: Bright plate.

Number	Size	Capacity	Weight
H25	5"	3/4"	4 oz.
H26	6"	1"	8 oz.
H28	8"	1 1/4"	10 oz.
H210	10"	1 1/2"	18 oz.

Packed—One in a box. Five and six inch also packed in bulk.

BOLTS and NUTS

are available for all Crescent Slip Joint Pliers, and may be ordered as separate parts. Order by number of plier for which they are needed.

CEE TEE CO PLIERS IN BULK DISPLAY BOX

CEE TEE CO Pliers of the five and six inch size can be furnished in cartons of one dozen. These dozen cartons are shipped in a larger carton at a lower price than those in the individual cartons. Shipping weight—H25, 32 lbs. per gross; H26, 66 lbs. per gross.



CRESCENT THIN BENT NOSE PLIER

About the same as the L26, but the nose is bent to an angle of 30 degrees for doing certain kinds of work.

Finish: Chromium plate.

Number	Size	Capacity	Weight
J26	6"	1"	8 oz.

Packed—One in a box.



CRESCENT THIN STRAIGHT NOSE PLIER

Conforms to Fed. Spec. GGG-P-471a—Type F, Class 2, Style 1.

This tool is especially adapted to work of a fine nature. Its thin nose will reach and grip objects where the ordinary plier will not. The teeth in the jaws are sharp and strong and give a good grip. Slip joint style, with case hardened bolt and nut.

Finish: Chromium plate.

Number	Size	Capacity	Weight
L25	5"	3/4"	4 oz.
L26	6"	1"	8 oz.
L28	8"	1 1/4"	10 oz.
L210	10"	1 1/2"	17 oz.

Packed—One in a box.



CRESCENT SIDE CUTTING SLIP JOINT PLIER

This is the regular Crescent Thin Nose plier with a side cutter added. None of the good points of the thin nose plier have been lost and the addition of the cutter makes it a most valuable tool. The cutter has keen edges and will cut easily.

Finish: Chromium plate.

Number	Size	Capacity	Weight
L526	6"	1"	7 oz.

Packed—One in a box.

CRESCENT TOOLS
Give Wings to Work®

"CRESTOGRIP" PUMP ACTION UTILITY PLIER

**30% THINNER
TWICE AS STRONG
GRIPS LIKE A PIPE WRENCH**

CLEAN, SHARP TEETH

FLUSH RIVET
NO PROJECTIONS

BOX JOINT ADJUSTABLE TO
4 POSITIONS UP TO 1 1/2" CAPACITY

EXTRA THIN—ONLY 1/2"
AT THICKEST POINT

NON-SLIP CHECKERDOT
KNURLING

QUICK, POSITIVE ADJUSTMENT
This cut-away view shows joint construction with its extra generous bearing surface at the arrow point. Adjustment is made by simply "walking" the rivet recess over the bearing point with a pumping action of the handles. Easy, positive, capable of heavy loads.

Crescent's No. P210 Utility Plier is completely new . . . revolutionary! It's not a "slip-joint" plier and not to be confused with conventional lap-joint "pump" pliers. Its *double-strong* box joint design is absolutely unique and assures a powerful grip like that of a pipe wrench without sideways twist or strain. It will grip flat, square, hex or round objects with powerful leverage.

COUNTER DISPLAY

Unit as shown—complete with six P210 Pliers supplied in carton at cost of pliers only.



SPECIFICATIONS

Number	Size	Length	Capacity	Thickness	Weight Packed
P210	10"	9 1/2"	1 1/2"	1/2"	13 oz.

Finish: Rust resistant zinc plating.

Packed—One in a box.

CRESCENT TOOLS
Give Wings to Work

CRESCENT® AND CRESTOLOY® PLIERS



CRESCENT LONG NOSE PLIER

This is a plier for radio work, wire bending, loop forming, or for fine work in repair shops, machine shops, etc. This plier has a strong wire cutter of the shear cutting type.

Finish: Polished head, black handles.

Number	Size	Nose Length	Weight, Each
M16	6"	1 5/8"	5 oz.

Packed—One in a box.



CRESCENT FLAT NOSE PLIER

A light plier for fine work. Checker knurling in jaws gives firm grip. Handles shaped to fit the hand comfortably. Smoothly working joint makes plier easy to use, even on continuous work. No cutter.

Finish: Polished head, gun metal handles.

Number	Size	Nose Length	Weight, Each
20	5"	1 1/2"	4 oz.

Packed—One in a box.



20-5" SC

Same as No. 20 with spring and Softgrip handles added.
Finish: Polished head, red Softgrip Plastic handles.

Number	Size	Nose Length	Weight Each
20-5" SC	5"	1 1/2"	4 1/2 oz.

Packed—One in a box.



CRESTOLOY ROUND NOSE PLIERS

Both sides of nose are carefully rounded. For use in radio, electrical and jewelry manufacture and repair. Loops and small rings easily formed and other kinds of wire work can be quickly and accurately done. Box joint keeps jaws in perfect alignment.

Finish: Polished head, gun metal handles.

Number	Size	Point Size	Weight, Each
21	4"	3/32"	2 oz.
21	6"	3/32"	5 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type O.



CRESCENT SHORT CHAIN NOSE PLIER

A plier for jewelers, opticians and others who do fine mechanical work. No wire cutter. Joint accurately machined, insuring smooth, easy operation with an occasional oiling. An indispensable tool for those doing fine, close work.

Finish: Polished head, gun metal handles.

Number	Size	Nose Length	Point Size	Weight, Each
22	5"	1 1/2"	1/8" x 3/32"	4 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type S.



22-5" SC

Like No. 22, plus spring and Softgrip handles.

Finish: Polished head, green Softgrip Plastic handles.

Number	Size	Nose Length	Point Size	Weight Each
22-5" SC	5"	1 1/2"	1/8" x 3/32"	4 1/2 oz.

Packed—One in a box.



DUCK BILL PLIERS OF FORGED CRESTOLOY STEEL

The long, thin jaws of this tool reach into places where fingers and ordinary pliers will not go. And when they reach, they grip—and hold! Perfect tempering prevents them from breaking, even though gripped until the jaws are bent or twisted far from their natural shape. And when pressure is released, back they go to normal. Textile weavers, jewelers, telephone workers, etc. can make good use of this tool. Also useful to punch press operators for inserting and removing work from dies. (No cutter.) Each one is individually tested for strength on our own specially designed testing machines. *Finish:* Gun metal with polished head.

Number	Size	Length Overall	Nose Length	Weight, Each
23	7"	7 1/8"	3"	4 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type Y.

"COLOR KEYED" PLIER HANDLES

The pliers with colored handles on this and succeeding pages are for industrial use. Bench workers quickly select the plier they need by its color.

RED — Flat Nose Pliers
ORANGE — Cutting Pliers
GREEN — Chain Nose Pliers

CRESCENT TOOLS

Give Wings to Work

CRESCENT® AND CRESTOLOY® PLIERS



KNITTERS' PLIERS OF CRESTOLOY STEEL

Operators of knitting machines find this tool indispensable for removing and adjusting needles, etc. Others whose work calls for extremely thin jaws for reaching into tight places will find this tool ideal for that purpose.

Box joint. Jaws polished down to very thin edges at extreme ends.

Finish: Gun metal with polished head.

Number	Size	Length	Nose Length	Point Thickness	Weight Packed
24	7"	7½"	3½"	⅛" (closed)	5 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type J.



CRESCENT WIRE CUTTING PLIER

Will cut baling wire, wire box strapping, concrete reinforcing wires, radio aerial and ground wires, etc. Jaws tapered so that wire is drawn toward their base and not pushed out. Short jaws enable them to cut close to surfaces.

Finish: Black.

Number	Size	Weight, Each
264	5½"	5 oz.

Packed in cartons of twelve. One gross in a shipping carton.



CRESCENT SIDE CUTTING PLIER

A well made, sturdy tool. Keen edged cutters and spring tempered handles.

Finish: Polished head, black handles.

Number	Size	Weight, Each
50	5"	5 oz.
50	6"	8 oz.
50	7"	10 oz.
50	8"	14 oz.

Packed—One in a box.

Can also be supplied with insulated handles. See page 28.



CRESTOLOY LIGHT END CUTTING NIPPERS

A light, serviceable tool. Has a keen edged cutter that will cut right down close against flat surfaces. Shoeworkers will find this an excellent tool for general use. Also electrical workers, bench assemblers of toys and delicate apparatus, etc.

Finish: Gun metal with polished head.

Number	Size	Width of Cutting Edge	Weight, Each
265	4½"	⅛"	3 oz.

Packed—One in a box.



END CUTTING NIPPERS OF FORGED CRESTOLOY STEEL

The width of the blades, the clearance in the throat, the leverage ratio of handle to blade, the size of the rivet, the sharpening of the blades and the angle at which they meet are points that have all been carefully worked out and incorporated into the design of this tool. Each one individually tested for strength and cutting ability on our specially designed testing machines.

Finish: Polished head, gun metal handles.

Number	Size	Width of Cutting Edge	Weight, Each
72	6"	1⅛"	9 oz.
72	7"	1⅜"	12 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type B.



CRESCENT CARPENTER'S PINCER

An old number, dropped during the war, is again available in a new, redesigned tool. Cutting edges will cut practically flush against a flat surface and the tool has plenty of strength to back up the edges. Button's cutter, tack claw and screw-driver point all add to the general usefulness of this pincer.

Finish: Black, polished jaws.

Number	Size	Weight, Packed
282	6"	7 oz.
282	8"	14 oz.
282	10"	20 oz.

Packed—One in a box.

CRESCENT® AND CRESTOLOY® PLIERS



HEAVY DIAGONAL CUTTING PLIERS OF FORGED CRESTOLOY STEEL

This is one of the most powerful cutting pliers made. Edges are keen and strong. Each tool individually tested on our specially designed testing machines for both strength and cutting ability.

Finish: Polished head, gun metal handles.

Number	Size	Weight, Each
542	7"	8 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type H, Class 2.



LONG NOSE, SIDE CUTTING PLIERS OF FORGED CRESTOLOY STEEL

The long nose of this plier will reach into tight places and the keen edged cutter will cut practically any wire used in radio or telephone switchboard work. Each tool is individually tested for both strength and cutting ability on our specially designed testing machines.

Finish: Polished head, gun metal handles.

Number	Size	Length Overall	Length of Nose	Point Size	Weight, Each
654	6"	6 $\frac{5}{8}$ "	2 $\frac{3}{16}$ "	$\frac{1}{8}$ " x $\frac{3}{32}$ "	5 oz.
654	7"	7 $\frac{7}{16}$ "	3"	$\frac{5}{32}$ " x $\frac{3}{16}$ "	6 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type P.



CRESCENT LIGHT CHAIN NOSE, SIDE CUTTING PLIER

An exceptionally high class plier. Designed and made to satisfy the most exacting requirements of the skilled mechanical worker. This plier is light in weight and perfectly balanced. It has tested cutting edges.

Finish: Polished head, gun metal handles.

Number	Size	Weight, Each
622	5"	3 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type R.



POWERFUL DIAGONAL CUTTING PLIERS OF FORGED CRESTOLOY STEEL

A newly designed; slender nosed diagonal cutter — yet with all the strength and cutting power of much heavier tools. Crescent has built extra leverage — and consequently easier cutting ability into this plier. Handle design affords comfortable grip. Crescent electronic hardening assures keen, long lasting cutting edges.

Number	Size	Weight, Each
742	7"	8 oz.

Packed—One in a box.



LONG FLAT NOSE SIDE CUTTING PLIERS OF FORGED CRESTOLOY STEEL

Used in textile mills and on certain types of knitting machines. A plier of exceptional usefulness to automobile radiator repairmen. Its nose is long and thin, and yet has surprising gripping ability. The cutting edges are keen, and they cut easily.

Finish: Gun metal with polished head.

Number	Size	Length of Jaw	Weight, Each
650	7"	3"	6 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type K, Class 2.



LONG NEEDLE NOSE PLIERS OF FORGED CRESTOLOY STEEL

In spite of the slenderness of its long nose, this tool has surprising gripping ability. Handles can be squeezed until the jaws bend and twist far from their normal shape, yet when pressure is released, they at once return to their original form. Each one individually tested for strength on our specially designed testing machines. (No cutter).

Finish: Gun metal with polished head.

Number	Size	Length Overall	Length of Nose	Point Size	Weight, Each
777	6"	6 $\frac{1}{2}$ "	2 $\frac{3}{8}$ "	$\frac{1}{8}$ " x $\frac{3}{32}$ "	4 oz.
777	7"	7 $\frac{1}{16}$ "	3"	$\frac{3}{32}$ " x $\frac{1}{8}$ "	5 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type T, Class 2.

CRESCENT® AND CRESTOLOY® PLIERS



CURVED NEEDLE NOSE PLIERS OF FORGED CRESTOLOY STEEL

The long, thin nose of this plier is bent at an angle which makes it very handy for working on machines where there are out of the way corners into which it is necessary to reach. CRESTOLOY steel and careful tempering gives them a good grip. Jaws will not break off, even though sprung or twisted out of shape. They always return to normal when pressure is released. Each one is individually tested for strength on our specially designed testing machines.

Finish: Polished head, gun metal handles.

Number	Size	Point Size	Weight, Each
888	6"	1/8" x 3/32"	6 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type T, Class 1.

DIAGONAL CUTTING PLIERS OF FORGED CRESTOLOY STEEL



942 SC

Same as regular No. 942, with spring and Softgrip handles. Softgrip handles make these tools easy on the hands of their users and are "color keyed" for easy identification.

Finish: Polished head, orange Softgrip Plastic handles.

Number	Size	Weight, Each
942—4" SC	4"	3 1/2 oz.
942—5" SC	5"	4 1/2 oz.
942—6" SC	6"	6 1/2 oz.

Packed—One in a box.



SHORT NOSE DIAGONAL CUTTING PLIERS OF CRESTOLOY STEEL

A tool similar to number 942, except that it has a short, stubby nose and consequently has more cutting power at the end of the nose. Suitable for close work. Tested for strength and cutting ability. Used extensively by aviation mechanics.

Finish: Gun metal with polished head.

Number	Size	Weight, Each
940	6"	5 oz.

Packed—One in a box.



CRESTOLOY DIAGONAL CUTTER, WITH SPRING

Small spring between the handles forces the jaws apart. Very handy when working with one hand.

Finish: Gun metal with polished head.

Number	Size	Weight, Each
943	5"	4 oz.

Packed—One in a box.



DIAGONAL CUTTING PLIERS OF FORGED CRESTOLOY STEEL

These light diagonals are extremely useful tools. They have a good "feel" in the hand, balance nicely and their keen blades cut easily and cleanly. Each one is individually tested for strength and cutting ability on our specially designed testing machines. In spite of their lightness, CRESTOLOY steel gives them great strength and cutting power.

Finish: Polished head, gun metal handles.

Number	Size	Weight, Each
942	4"	3 oz.
942	5"	4 oz.
942	6"	6 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type H, Class 1, Style 2.



CRESCENT COMBINATION PLIER AND FENCE TOOL

A reliable, sturdy, general purpose plier. Flat nose style, with three button's cutters, pipe grip and teeth in extreme tip of nose. This tool is also useful for construction and maintenance of wire fencing.

Finish: Gun metal with polished head.

Number	Size	Weight, Packed
1000	8"	14 oz.
1000	10"	1 lb. 9 oz.
1000	12"	1 lb. 15 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type G.

CRESCENT® AND CRESTOLOY® PLIERS



LONG NOSE PLIERS OF FORGED CRESTOLOY STEEL

Radio and telephone workers will appreciate this tool. Loops and bends of all sizes can be made with it, and it has enough length in the nose to reach into the tight places. It has unusual strength and gripping ability, for which each plier is individually tested on our specially designed testing machines. (No cutter; if cutter is wanted, see number 654).

Finish: Gun metal with polished head and nose.

Number	Size	Length Overall	Length of Nose	Point Size	Weight, Each
1033	6"	6 ⁵ / ₈ "	2 ¹ / ₄ "	1/8" x 3/32"	5 oz.
1033	7"	7 ¹ / ₂ "	3"	5/32" x 3/32"	6 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-P-471a — Type Q.



1033-6" SC

Same as 1033—6" with spring and cushion handle added.

Finish: Polished head, green Softgrip Plastic handles.

Number	Size	Nose Length	Overall Length	Point Size	Weight Each
1033-6" SC	6"	2 ¹ / ₄ "	6 ⁵ / ₈ "	1/8" x 3/32"	5 ¹ / ₂ oz.

Packed—One in a box.



LONG, FLAT NOSE PLIERS OF CRESTOLOY STEEL

A plier for reaching into tight places and obtaining a firm grip right out on the tip of the jaws. Individually tested.

Finish: Gun metal with polished jaws.

Number	Size	Length of Nose	Point Size	Weight
1034	6"	2 ¹ / ₄ "	1/4" x 3/32"	5 oz.

Packed—One in a box.

"COLOR KEYED" PLIERS

Bench workers find it easy to select the plier they want from a cluttered work bench. The color makes it stand out.

RED — Flat Nose Pliers
ORANGE — Cutting Pliers
GREEN — Chain Nose Pliers



L-O-N-G R-E-A-C-H SHORT NOSE DUCK BILL PLIERS (BOX JOINT)

This is a plier for assembly work of almost any kind. Its long, slender shape gets it in places inaccessible to standard length pliers and it has plenty of gripping and holding power due to the special steel and methods of hardening used in its construction.

The firm, easy working box joint never becomes loose or sloppy and because of it, long, useful life is assured.

Finish: Polished head. Gun metal blue handles.

Number	Size	Overall Length	Nose Length	Weight Each
1035	8"	8"	1 ¹ / ₂ "	4 ¹ / ₂ oz.

Packed—One in a box.



L-O-N-G R-E-A-C-H SHORT NOSE CHAIN NOSE PLIERS (BOX JOINT)

A plier for the worker in electronic, radio and television construction and maintenance. Will form loops and bends of all sizes. Reaches easily into the hard to get at places without obstructing its user's view. Firm grip afforded because of its design and the way in which it is hardened. Its box joint keeps it firm and easy working long after ordinary pliers are worn out.

Finish: Polished head. Gun metal blue handles.

Number	Size	Length Overall	Nose Length	Nose Diameter	Weight Each
1036	8"	8"	1 ¹ / ₂ "	3/32" x 3/32"	4 ¹ / ₂ oz.

Packed—One in a box.



CRESCENT FENCE TOOL & STAPLE PULLER

Farmers, ranch owners and others who use wire fences will need this tool for fence maintenance. Heavy heads for hammering. Two button's cutters, wire stretcher, staple pullers, gripping jaws. Heavy rivet. Cutter capacity 7/32 (.2187) inches.

Finish: Black.

Number	Size	Weight, Each
1907	10"	1 lb. 12 oz.

Packed—One in a box.

CRESCENT TOOLS

Give Wings to Work

CRESCENT® AND CRESTOLOY® PLIERS



CRESCENT FENCE TOOL


- (1) Note opening which closes easily over head of staple, giving firm grip to pull it out.
- (2) Grip between handles holds wire tightly while leverage is exerted against post to stretch wire tight before fastening.
- (3) Sharp heavy prong will get in behind the most stubborn, rusty staple and yank it out.
- (4) When necessary, both wire and staple can be gripped together by special opening in head of tool. This grip, with leverage against prong will pull staples that resist ordinary methods. Two wire cutters. Cutter capacity 7/32 (.2187) inches.

Broad face on head drives staples straight and rapidly. Knurled handles give good grip.

Finish: Polished head, gun metal handles.

Number	Length
1936	10 1/2"

Packed—One in a box.



Weight, Each
1 lb. 10 oz.



LINEMEN'S SIDE CUTTING PLIERS OF FORGED CRESTOLOY STEEL

This tool was designed especially to meet the requirements of linemen. The uses to which they subject their pliers have been studied and as a result, we offer the CRESTOLOY 1950 PLIER as being ideally suited to linemen and others who use a plier of this type. Each one is individually tested for strength and cutting ability on our specially designed testing machines.

Finish: Gun metal with polished head.

Number	Size	Weight, Each
1950	6"	7 oz.
1950	7"	10 oz.
1950	8"	17 oz.

Packed—One in a box.

Can also be supplied with insulated handles. See next column.
Conforms to Fed. Spec. GGG-P-471a, Type N, Class 1.

"FINGERS OF STEEL"

Look over the complete line of Crescent and Cresto-loy Pliers. You will find there a plier for almost any job. There are strong jaws for gripping; long jaws for reaching; round noses for bending; sharp cutters for all purposes; special styles for special work; in short "fingers of steel" to supplement human fingers and give them more strength to aid them in their work.



LINEMEN'S ROUND NOSE PLIERS OF FORGED CRESTOLOY STEEL

The tool that linemen everywhere demand. Its streamlined design makes it easy to work with in close quarters. Slides freely in and out of tool belt loops. It is lighter in weight, with no sacrifice of strength. Its hand-honed cutting edges cut cleanly and retain their sharpness. Milled teeth in the nose give a firm grip. General design makes it easy to work with—it feels good to the hand. Each plier tested for both strength and cutting ability to a point far beyond the strain that any human hand can put on it.

Finish: Gun metal with polished head.

Number	Size	Weight, Packed
2150	8"	15 oz.

Packed—One in a box.

Can also be supplied with insulated handles. See below.



CRESCENT UNIVERSAL CUTTING PLIER

A tool for general use. It has a flat nose, with teeth for gripping and a keen side cutter. Pipe grip in nose.

Finish: Gun metal with polished head.

Number	Size	Weight, Packed
3800	6"	13 oz.
3800	7"	1 lb. 4 oz.
3800	8"	1 lb. 15 oz.

Packed—One in a box.

Can also be supplied with insulated handles. See below.



INSULATED PLIERS

Several of the pliers in the Crescent-Cresto-loy line can be supplied with insulating grips made of Tenite. Tests have shown this material to be highly suitable for this purpose. It has a high dielectric value and we recommend pliers to which it has been applied to those who have need for insulated tools. Available items are as follows:

- No. 50 (page 24) 6", 7" and 8" sizes
- No. 1950 (to left) 6", 7" and 8" sizes
- No. 2150 (above) 8" size only
- No. 3800 (above) 6", 7" and 8" sizes.

These grips are knurled to give firm grip to the hand. Applied at the factory so they will not slip around or off the handles of the pliers.

Insulated pliers also come packed in individual boxes and the insulation adds but little to the shipping weight of the tools.

CRESCENT TOOLS
Give Wings to Work

CRESCENT AVIATION SNIPS



Improved design — exclusively Crescent. Note these important features:

1. Alloy steel blades, giving the utmost in hardness and toughness.
2. Streamlined shape — nothing to catch on metal as you cut it.
3. Smooth polished head — metal slides freely over it. Handles parkerized.
4. Serrations on blades are machine ground, and can be reground at factory.
5. All bolts have self locking nuts to keep snip in proper adjustment at all times.
6. Latch mounted flush. Does its job without getting in the way.



CAT. NO. **V19L** — LEFT HAND — CUTS RIGHT*



CAT. NO. **V19S** — STRAIGHT CUT



CAT. NO. **V19R** — RIGHT HAND — CUTS LEFT*

Made according to Crescent's exclusive new design. Alloy steel blades of extraordinary hardness and toughness. Keenly ground edges, with machine ground serrations.

Both edges and serrations may be reground at the factory at a nominal cost.

Streamlined design. Metal being cut slides back over shoulders of snip without catching. Snips slip easily in and out of overalls pockets.

Keen edged, carefully hardened blades will retain their sharpness over long periods of service and can be resharpened at the factory when it finally becomes necessary.

All bolts equipped with self locking nuts.

*In all American made snips, right hand snips cut to the left and left hand snips cut to the right.

Conform to Fed. Spec. GGG-S-291c — Type II, Class D, Grade A.

Design 1 — V19S

Design 2 — V19L

Design 3 — V19R

COMPOUND LEVERAGE

The easy cutting action that features these CRESCENT Snips is due largely to the extra leverage obtained by the linkage between handles and blades. Ordinary pressure on the handles is multiplied many times in the blade action.

SPECIFICATIONS

Number	Length Overall	Length of Cut	Type of Cut	Weight
V19L	9 3/4"	1 3/8"	Right	13 oz.
V19S	9 3/4"	1 3/8"	Straight	13 oz.
V19R	9 3/4"	1 3/8"	Left	13 oz.

Finish: Polished blades, parkerized handles.

Packed: One in a box.



INSULATING SLEEVES of NEOPRENE,

carefully moulded to fit the handles of these snips are available at slight extra cost and can be supplied separately or installed. These also feature a hand guard which allows the operator to exert additional pressure.

Neoprene is also notable for its toughness at all temperatures and its resistance to oils and acids.

CRESCENT TOOLS

Give Wings to Work

CRESCENT SNIPS — Designed for Easy Cutting and Long Life

SNIPS WITH UNUSUAL CUTTING ABILITY



**Hardened by CRESCENTS
own Selective
Induction Process**



STANDARD PATTERN

These snips are designed after the pattern of snips with inlaid blades. They are forged of special steel and the blades are ground on special machines which give them a keen, strong edge that will retain its sharpness. Powerful leverage makes them cut evenly and smoothly.

Finish: Polished blades. Blue enameled handles.

Equivalent to Inlaid Snip				Weight Each	
Number	Numbers	Length	Cut	Packed	
S47	14	7 "	1 3/4 "	6 oz.	
S48	13	8 "	1 7/8 "	8 oz.	
S49	12	9 "	2 "	11 oz.	
S410	11	10 "	2 1/4 "	1 lb.	
S411	10	11 "	2 1/2 "	1 lb.	6 oz.
S412	9	12 3/4 "	3 "	1 lb.	14 oz.
S413	8	13 7/8 "	3 1/2 "	2 lbs.	9 oz.
S414	7	14 7/8 "	4 "	3 lbs.	1 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-S-291c — Type II, Class A, Grade B.



HEAVY DUTY SNIPS

U416 Heavy duty type. Made for the extra heavy jobs. Cuts curves as well as straight lines.

Finish: Polished blades. Blue enameled handles.

Number	Length	Cut	Weight Each Packed
U416	16 1/4 "	2 1/4 "	3 1/2 lbs.

Packed—One in a box.

Conforms to Fed. Spec. GGG-S-291c — Type II, Class A, Grade B.



CIRCULAR CUTTING SNIPS

Designed specially for cutting out intricate patterns and curves. They cut smoothly and leave the metal unburnt. In quality, they are the same as the S4 line of Crescent snips shown on this page.

Finish: Polished blades. Blue enameled handles.

Number	Length	Cut	Weight Each Packed
T47	7 "	1 3/4 "	7 oz.
T412	12 3/4 "	3 "	1 lb. 14 oz.

Packed—One in a box.

Conforms to Fed. Spec. GGG-S-291c — Type II, Class C.



COMBINATION PATTERN

Forged steel snip designed after the standard circular cutting style. These have the same keen edges which characterize the "S" and "T" snips and they cut smoothly and easily.


Finish: Polished blades. Blue enameled handles.

Number	Length	Cut	Weight Each Packed
U412	12 3/4 "	3 "	1 lb. 13 oz.

Packed—One in a box.

HACKSAWS

***built in the
CRESCENT
way***



Experience and "Know-how" are of the utmost importance in the manufacture of tools. Proper grades of steel, adequate strength without excess weight, balance — how the tool feels to its user — are all matters that had to be thoroughly checked and tested before the specifications governing CRESCENT Hacksaw Frames were adopted.

As a result, here are Hacksaws that will do their job — day in and day out — without losing their shape or falling apart. Here are Hacksaws that have plenty of rugged strength, yet because of proper balance, do not seem heavy or clumsy.

All requirements are covered in the various models shown on the opposite page.

NEOPRENE HANDLES

now used on number 1044N and 1049 have decided superiority over any of the plastics generally used for handles. Looks and feels like natural rubber. Impervious to oil and acids. Will stand temperatures of 100° below zero without becoming brittle, and 200° above without softening. Have high dielectric value or insulation against electricity under all conditions. Will not break if dropped and will stand more abuse than any type handle we have tested except the steel ones on our numbers 1044, 1046 and 1047.

CRESCENT HACKSAW FRAMES



CRESCENT HACKSAW FRAME No. 1042

A strong frame, easy to adjust and rigid at all positions. Straight, hard maple handle. Adjustable for 8 to 12 inch blades.

Finish: Frame nickel plated, natural finish handle.

Number	Size	Depth of Cut	Steel	Weight, Each
1042	8-12" adj.	2 1/2"	3/16 x 1 1/16	19 oz.

Packed—One in a box, with blade, 4 dozen in shipping carton.



CRESCENT EXTRA HEAVY DUTY HACKSAW FRAME

No. 1044N with NEOPRENE HANDLE No. 1044 with STEEL HANDLE

Non-adjustable, for 12 inch blades only. This saw will remain rigid under hard service and is sufficiently strong to permit the use of power saw blades if so desired.

Finish: Chromium plate. Black Neoprene or steel handle.

Number	Size	Depth of Cut	Steel	Weight, Each
1044, 1044N	12"	3 3/4"	3/16 x 7/8	2 lbs. 1 oz.

Packed—One in a box, with blade.



CRESCENT HACKSAW FRAME No. 1046

This is an all steel frame, adjustable style. The handle is made of heavy gauge steel in the popular pistol grip style and is securely riveted to the frame. This is the most durable saw that can be bought. It will stand throwing around without breaking.

Finish: Both frame and handle are nickel plated.

Number	Size	Depth of Cut	Steel	Weight, Each
1046	8-12" adj.	2 1/2"	.164 x 9/16	22 oz.

Packed—One in a box.

Packed—3 dozen in a shipping carton.



CRESCENT HACKSAW FRAME No. 1047

This is the same as No. 1046 except that it has a deeper cut and is made of heavier stock.

Finish: Both frame and handle are nickel plated.

Number	Size	Depth of Cut	Steel	Weight, Each
1047	8-12" adj.	3 3/4"	3/16 x 1 1/16	28 oz.

Packed—One in a box with blade.

Packed—3 dozen in a shipping carton.



CRESCENT HACKSAW FRAME No. 1049

Adjustable style with Neoprene handle. Like all Crescent frames, the blade holding parts are accurately turned on screw machines—not pressed out. This makes adjustment easy and positive.


Finish: Frame chromium plated, black Neoprene handle.

Number	Size	Depth of Cut	Steel	Weight, Each
1049	8-12" adj.	3 3/4"	3/16 x 1 1/16	1 lb. 13 oz.

Packed—One in a box, with blade.

Packed—3 dozen in a shipping carton.

HACKSAW PARTS



Small parts, as illustrated above, sometimes get lost or broken.

New parts are always available so that Crescent Hacksaws can be kept in service.

Order by name of part, giving style number of frame.

(In the No. 1042, the handle tightens the blade instead of a wing nut, and is available as a spare part. Handles for the pistol grip style frames are not available separately.)

HACKSAW BLADES



HARD HACKSAW BLADES

Made of tungsten alloy steel. Teeth carefully milled and set so that every tooth cuts. Hardened all over. Made of 23 gauge steel.

Number	Teeth	Size	Width	Weight per 100
1239	18, 24 or 32	10"	1/2"	3 lbs. 4 oz.
1239	18, 24 or 32	12"	1/2"	4 lbs. 4 oz.

Packed—Ten in a bundle. One hundred in a box.

FLEXIBLE HACKSAW BLADES

Made of tungsten alloy steel, but teeth only are hardened, making blade flexible. Otherwise same as No. 1239.

Number	Teeth	Size	Width	Weight per 100
1439	18, 24 or 32	10"	1/2"	3 lbs. 4 oz.
1439	18, 24 or 32	12"	1/2"	4 lbs. 4 oz.

Packed—Ten in a bundle. One hundred in a box.

PUNCHES, CHISELS, STAR DRILLS

Forged from high quality tool steel. Hardened to proper degree to do the kind of work for which they are intended. Strong, serviceable tools that will give satisfactory results under trying conditions. Heads of all Crescent Punches and Chisels are purposely left softer than the working ends so that under severe pounding they will not chip off, endangering other workmen.



CRESCENT REPAIR AND LINING UP PUNCHES

A tool for which the mechanic can find many uses. Forged tool steel, specially hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	Point	Stock	Length	Taper	Weight per Doz.
95	$\frac{3}{16}$ "	$\frac{1}{2}$ "	9"	6"	4 lbs. 9 oz.
95	$\frac{1}{4}$ "	$\frac{5}{8}$ "	10"	7"	7 lbs. 14 oz.
95	$\frac{3}{8}$ "	$\frac{3}{4}$ "	12"	9"	13 lbs. 7 oz.

Packed—One dozen in box. $\frac{3}{8}$ ", 6 in a box.



CRESCENT CENTER PUNCHES

Tough and serviceable. Forged tool steel, specially hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	Stock	Length	Weight per Doz.
486	$\frac{1}{4}$ "	$3\frac{1}{2}$ "	9 oz.
486	$\frac{5}{16}$ "	4 "	15 oz.
486	$\frac{3}{8}$ "	5 "	1 lb. 12 oz.
486	$\frac{1}{2}$ "	6 "	3 lbs. 7 oz.

Packed—One dozen in a box.



CRESCENT PRICK PUNCHES

Sharp, tough point. Forged tool steel, hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	Stock	Length	Weight per Doz.
487	$\frac{5}{16}$ "	4 "	14 oz.
487	$\frac{3}{8}$ "	$4\frac{1}{2}$ "	1 lb. 6 oz.

Packed—One dozen in a box.



CRESCENT PIN PUNCHES

Hard and dependable. Forged tool steel, hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	Point	Stock	Length	Weight per Doz.
488	$\frac{1}{8}$ "	$\frac{3}{8}$ "	6"	1 lb. 10 oz.
488	$\frac{5}{32}$ "	$\frac{3}{8}$ "	6"	1 lb. 11 oz.
488	$\frac{3}{16}$ "	$\frac{3}{8}$ "	6"	1 lb. 12 oz.
488	$\frac{1}{4}$ "	$\frac{1}{2}$ "	6"	2 lbs. 14 oz.
488	$\frac{5}{16}$ "	$\frac{5}{8}$ "	8"	5 lbs. 15 oz.

Packed—One dozen in a box.



CRESCENT SOLID PUNCHES

Hard and tough. Forged tool steel, hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	Point	Length	Stock	Weight per Doz.
489	$\frac{3}{32}$ "	6"	$\frac{1}{2}$ "	3 lbs. 6 oz.
489	$\frac{1}{8}$ "	6"	$\frac{1}{2}$ "	3 lbs. 7 oz.
489	$\frac{5}{32}$ "	6"	$\frac{1}{2}$ "	3 lbs. 7 oz.
489	$\frac{3}{16}$ "	6"	$\frac{1}{2}$ "	3 lbs. 8 oz.
489	$\frac{7}{32}$ "	6"	$\frac{1}{2}$ "	3 lbs. 9 oz.
489	$\frac{1}{4}$ "	6"	$\frac{1}{2}$ "	3 lbs. 10 oz.
489	$\frac{9}{32}$ "	6"	$\frac{1}{2}$ "	3 lbs. 11 oz.
489	$\frac{5}{16}$ "	7"	$\frac{5}{8}$ "	6 lbs. 5 oz.
489	$\frac{3}{4}$ "	7"	$\frac{3}{4}$ "	9 lbs. 7 oz.

Packed—One dozen in a box, $\frac{5}{16}$ ", $\frac{7}{16}$ ", 6 in a box.



CRESCENT PIN PUNCHES

Straight and true. Forged tool steel, specially hardened and tempered.

Finish: Blue enamel with red head and polished point.

Number	Point	Stock	Length	Weight per Doz.
490	$\frac{1}{8}$ "	$\frac{3}{8}$ "	9"	3 lbs. 10 oz.
490	$\frac{5}{32}$ "	$\frac{3}{8}$ "	9"	3 lbs. 12 oz.
490	$\frac{3}{16}$ "	$\frac{3}{8}$ "	9"	3 lbs. 12 oz.
490	$\frac{1}{4}$ "	$\frac{3}{8}$ "	9"	4 lbs. 3 oz.
490	$\frac{5}{16}$ "	$\frac{3}{8}$ "	9"	4 lbs. 9 oz.
490	$\frac{3}{8}$ "	$\frac{3}{8}$ "	9"	5 lbs.

Packed—One dozen in a box.

PUNCHES, CHISELS, STAR DRILLS



CRESCENT COLD CHISELS

These chisels have a keen, tough cutting edge that will stand a lot of hard service. Forged tool steel specially hardened and tempered.

Finish: Blue enamel with red head and dull finish point.

Number	Cutting Edge	Stock	Length	Weight per Doz.
160	1/4"	1/4"	4 3/4"	14 oz.
160	5/16"	5/16"	5"	1 lb. 4 oz.
160	3/8"	3/8"	5 1/2"	2 lbs. 1 oz.
160	1/2"	1/2"	6"	3 lbs. 13 oz.
160	5/8"	5/8"	6 1/2"	6 lbs. 4 oz.
160	3/4"	3/4"	7 1/2"	9 lbs. 8 oz.
160	7/8"	7/8"	8"	14 lbs.
160	1"	1"	8 1/2"	19 lbs.

Packed—One dozen in a box. 3/8" and larger, 6 in a box.

CRESCENT EXTRA LENGTH COLD CHISELS

Number	Cutting Edge	Stock	Length	Weight per Doz.
260	1/2"	1/2"	12"	7 lbs. 14 oz.
260	5/8"	5/8"	12"	12 lbs. 1 oz.
260	3/4"	3/4"	12"	17 lbs. 11 oz.
260	7/8"	7/8"	12"	23 lbs. 10 oz.
260	1"	1"	12"	33 lbs. 14 oz.

Packed—Six in a box.



CRESCENT STAR DRILLS

Hand forged from high carbon tool steel. Will drill through concrete, rock or brick. Specially hardened and tempered. Fast cutting and self clearing.

Made in two lengths, twelve inch and eighteen inch.

Finish: Blue enamel with red head and dull finish points.

Number	Cutting Edge	Weight, 12 Inch per Dozen	Weight, 18 Inch per Dozen
161	1/4"	2 lbs. 2 oz.	3 lbs. 10 oz.
161	5/16"	2 lbs. 4 oz.	3 lbs. 10 oz.
161	3/8"	3 lbs. 8 oz.	4 lbs. 14 oz.
161	7/16"	3 lbs. 12 oz.	5 lbs. 2 oz.
161	1/2"	4 lbs. 12 oz.	7 lbs. 2 oz.
161	5/8"	8 lbs. 4 oz.	12 lbs. 12 oz.
161	3/4"	8 lbs. 4 oz.	12 lbs. 12 oz.
161	7/8"	12 lbs. 14 oz.	19 lbs. 8 oz.
161	1"	18 lbs. 12 oz.	28 lbs. 8 oz.
161	1 1/8"	18 lbs. 12 oz.	28 lbs. 8 oz.
161	1 1/4"	25 lbs. 8 oz.	38 lbs.

Packed — 12 inch — 1/4" to 7/8" 12 in a box
 1 " to 1 1/4" 6 in a box
 18 inch — 1/4" to 5/8" 12 in a box
 3/4" to 1 1/4" 6 in a box



CRESCENT DIAMOND POINT CHISELS

These chisels stand up under hard service. They are forged tool steel, well hardened and tempered.

Finish: Blue enamel with red head and dull finish blade.

Number	Cutting Edge	Stock	Length	Weight per Doz.
164	1/4"	3/8"	5 1/2"	1 lb. 15 oz.
164	5/16"	1/2"	6"	3 lbs. 12 oz.
164	3/8"	5/8"	6 1/2"	5 lbs. 14 oz.
164	1/2"	3/4"	7 1/2"	10 lbs. 3 oz.
164	5/8"	7/8"	8"	14 lbs. 6 oz.

Packed—One dozen in a box. 3/8" and larger, 6 in a box.



CRESCENT CAPE CHISELS

Very serviceable tools. Forged tool steel, specially hardened and tempered.

Finish: Blue enamel with red head and dull finish point.

Number	Cutting Edge	Stock	Length	Weight per Doz.
165	1/4"	3/8"	5 1/2"	1 lb. 14 oz.
165	5/16"	1/2"	6"	3 lbs. 7 oz.
165	3/8"	5/8"	6 1/2"	5 lbs. 7 oz.
165	1/2"	3/4"	7 1/2"	9 lbs. 4 oz.
165	5/8"	7/8"	8"	13 lbs. 5 oz.
165	3/4"	7/8"	8 1/2"	15 lbs.

Packed—One dozen in a box. 3/8" and larger, 6 in a box.



CRESCENT HALF ROUND NOSE CHISELS

Sturdy, well made and durable. Forged tool steel, specially hardened and tempered.

Finish: Blue enamel with red head and dull finish point.

Number	Cutting Edge	Stock	Length	Weight per Doz.
166	1/4"	3/8"	5 1/2"	1 lb. 15 oz.
166	5/16"	1/2"	6"	3 lbs. 8 oz.
166	3/8"	5/8"	6 1/2"	5 lbs. 12 oz.
166	1/2"	3/4"	7 1/2"	9 lbs. 8 oz.
166	5/8"	7/8"	8 1/4"	14 lbs. 5 oz.

Packed—One dozen in a box. 3/8" and larger, 6 in a box.



CRESCENT ROUND NOSE CHISELS

Tough and sharp. Forged tool steel specially hardened and tempered.

Finish: Blue enamel with red head and dull finish point.

Number	Cutting Edge	Stock	Length	Weight per Doz.
167	1/4"	3/8"	5 1/2"	2 lbs. 1 oz.
167	5/16"	1/2"	6"	3 lbs. 14 oz.
167	3/8"	5/8"	6 1/2"	6 lbs. 6 oz.
167	1/2"	3/4"	7 1/4"	10 lbs. 4 oz.
167	5/8"	7/8"	8"	15 lbs. 2 oz.

Packed—One dozen in a box. 3/8" and larger, 6 in a box.



CRESCENT WOOD CHISELS

All steel. For heavy duty work. Plumbers and electricians find them especially useful. They will take a keen edge and hold it. Repeated sharpening is possible as blade is hardened throughout.

Finish: Blue enamel with red head and polished blade.

Number	Size	Length	Weight
175	3/4"	9"	12 oz.
175	1"	9"	13 oz.
175	1 1/4"	10"	14 oz.

Packed—Three in a box. Each one paper wrapped.

Note: As sold, these chisels are ground for ordinary work. For fine work, honing will probably be necessary.

TWO FAMOUS NAMES

"CRESCENT" PLUS "TENITE"

combine to make these screwdrivers without equal. CRESCENT uses hot forged blades, electronically hardened full length and individually tested to insure tips that will not break or bend. The Tenite handles are knurled to give a good grip — yet will not hurt the hands. Handles assembled to blades under pressure — cannot turn or pull out.



STANDARD PATTERN

This is a general purpose tool for use under average conditions. Points are sized to fit screw slots within each screwdriver's range of use.

Number	Blade Length	Point Width	Point Thickness	Overall Length	Rod Diameter	Weight per Doz.
K1303	3"	3/16"	.032"	7"	1/4"	2 lbs. 4 oz.
*K1304	4"	1/4"	.040"	8 3/4"	1/4"	3 lbs. 9 oz.
*K1306	6"	5/16"	.045"	12"	5/16"	6 lbs. 2 oz.
K1308	8"	3/8"	.050"	14"	3/8"	7 lbs. 3 oz.
K1310	10"	3/8"	.050"	16"	3/8"	8 lbs.
K1312	12"	3/8"	.050"	18"	3/8"	8 lbs. 13 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handle.

Packed—Six in a box. *Six in display box.



ELECTRICIANS' OR CABINET PATTERN

For fine work—no flare on point. Used extensively by cabinet makers, electricians and others who need the advantage of a thin, yet sturdy screwdriver.

Number	Blade Length	Point Width	Point Thickness	Overall Length	Rod Diameter	Weight per Doz.
K1503 1/2	3 1/2"	3/16"	.032"	7 1/2"	3/16"	1 lb. 15 oz.
*K1504 1/2	4 1/2"	3/16"	.032"	8 1/2"	3/16"	2 lbs. 6 oz.
*K1506 1/2	6 1/2"	3/16"	.032"	10 1/2"	3/16"	2 lbs. 11 oz.
K1508 1/2	8 1/2"	3/16"	.032"	12 1/2"	3/16"	2 lbs. 9 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handles.

Packed—Six in a box. *Six in display box.



DISPLAY BOXES

Items marked * are packed in boxes with an insert to hold the screwdrivers as shown. Selling points printed on back of easel for easy reference by sales personnel.



SQUARE ROD STYLE

These are for heavy work. Special steel gives them superior strength. A wrench may be applied to square shank for extra leverage.

Number	Blade Length	Point Width	Point Thickness	Overall Length	Rod Diameter	Weight per Doz.
K1604	4"	1/4"	.040"	8 3/4"	1/4" sq.	3 lbs. 6 oz.
K1606	6"	5/16"	.045"	12"	5/16" sq.	5 lbs. 15 oz.
K1608	8"	3/8"	.050"	14"	3/8" sq.	8 lbs. 2 oz.
K1610	10"	3/8"	.050"	16"	3/8" sq.	9 lbs. 2 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handle.

Packed—Six in a box.



PHILLIPS POINT

No screwdriver line is complete today without sizes for Phillips screws. These are used extensively in automobiles, radio and TV cabinets, appliances, furniture and many other items in daily use. These made by CRESCENT have plenty of rugged strength.

Number	Blade Length	Phillips Point No.	Fits Screw Sizes	Overall Length	Rod Dia.	Weight per Doz.
K1701	3"	1	4 and smaller	7"	3/16"	1 lb. 14 oz.
*K1702	4"	2	5 to 9 incl.	8 3/4"	1/4"	3 lbs. 4 oz.
*K1703	6"	3	10 to 16 incl.	11 3/4"	5/16"	5 lbs. 10 oz.
K1704	6"	4	18 and larger	11 3/4"	3/8"	6 lbs. 10 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handle.

Packed—Six in a box. *Six in display box.

CRESCENT "Stubby" pattern screwdrivers on next page.

CRESCENT SCREWDRIVERS



REGULAR STUBBY

There are many places where space is limited and this handy screwdriver is needed. Made in one size as illustrated.

Number	Blade Length	Point Width	Point Thickness	Overall Length	Rod Diameter	Weight, per Doz.
K11025	1 1/2"	1/4"	.032"	3 1/2"	1/4"	1 lb. 6 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handle.

Packed—Six in a box.



PHILLIPS STUBBY

Handy to use and you can put lots of pressure against a rusted screw by holding driver in palm of your hand. Made with No. 2 Phillips point only.

Number	Blade Length	Phillips Pt. No.	Fits Screw Sizes	Overall Length	Rod Diameter	Weight, per Doz.
K17025	1 1/2"	2	5 to 9 incl.	3 1/2"	1/4"	1 lb. 6 oz.

Finish: Zinc plated blade (rust resistant); blue Tenite handle.

Packed—Six in a box.

WOOD HANDLE SCREWDRIVERS

1. Blades hardened full length. Built for hard work.
2. Ferrules turned from solid bar steel. Not pressed or punched out.
3. Handles turned out of seasoned hard maple. Natural finish.
4. Permanent assembly. Parts assembled under heavy pressure. Handles can't loosen or blades turn in ferrules.



CRESCENT SHORT SCREWDRIVERS

For use where regular length screwdrivers cannot be used. Handle cannot turn or pull loose from blade. Ferrule turned from solid bar of steel and will not work loose. Hard maple handle.

Finish: Polished blade. Natural finish handle.

Number	Blade Length	Overall Length	Width of point	Thickness of point	Size of Rod	Weight, per Doz.
K101 1/2	1 1/2"	4 1/4"	5/32"	.030"	3/16 rd.	1 lb.

Packed—Six in a box, each one paper wrapped.



CRESCENT SCREWDRIVERS

Rod extends clear through handle. Blade hardened full length. Ferrule turned from solid bar and forced onto blade under heavy pressure. Neither ferrule nor handle can work loose from blade.

Finish: Polished blade. Natural finish handle.

Number	Blade Length	Overall Length	Width of point	Thickness of point	Size of Rod	Weight, per Doz.
K404	4"	8 3/4"	1/4"	.040"	1/4 rd.	3 lbs. 6 oz.
K406	6"	12 "	5/16"	.045"	5/16 rd.	5 lbs. 15 oz.
K408	8"	14 "	3/8"	.050"	3/8 rd.	7 lbs. 12 oz.

Packed—Six in a box, each one paper wrapped.



CRESCENT SCREWDRIVERS

General purpose type for home or shop use. Blades hardened full length. Ferrule turned, not pressed. Handle cannot turn or work loose from blade. Hard maple handle.

Finish: Polished blade. Natural finish handle.

Number	Blade Length	Overall Length	Width of point	Thickness of point	Size of Rod	Weight, per Doz.
K302	2"	6 "	5/32"	.030"	1/4 rd.	1 lb. 13 oz.
K303	3"	7 "	3/16"	.032"	1/4 rd.	2 lbs.
K304	4"	8 3/4"	1/4"	.040"	1/4 rd.	2 lbs. 15 oz.
K305	5"	9 3/4"	5/16"	.045"	5/16 rd.	3 lbs. 12 oz.
K306	6"	12 "	5/16"	.045"	5/16 rd.	4 lbs. 15 oz.
K308	8"	14 "	3/8"	.050"	3/8 rd.	6 lbs. 10 oz.
K310	10"	16 "	3/8"	.050"	3/8 rd.	7 lbs. 8 oz.
K312	12"	18 "	3/8"	.050"	3/8 rd.	8 lbs. 3 oz.

Packed—Six in a box, each one paper wrapped.



CRESCENT ELECTRICIANS' AND CABINET SCREWDRIVERS

For fine work. No flare at point. Blades hardened full length. Ferrule turned from solid bar and forced onto bit under heavy pressure. Handles made of straight grained, hard maple. Will never work loose.

Finish: Polished blade. Natural finish handle.


Number	Blade Length	Overall Length	Width of point	Thickness of point	Size of Rod	Weight, per Doz.
K502 1/2	2 1/2"	6 1/2"	3/16"	.032"	3/16 rd.	1 lb. 10 oz.
K504 1/2	4 1/2"	8 1/2"	3/16"	.032"	3/16 rd.	1 lb. 15 oz.
K505 1/2	5 1/2"	9 1/2"	3/16"	.032"	3/16 rd.	2 lbs.
K506 1/2	6 1/2"	10 1/2"	3/16"	.032"	3/16 rd.	2 lbs. 1 oz.

Packed—Six in a box, each one paper wrapped.

"CRESCENT" is our Trademark • registered in U. S. and Foreign Countries

CRESCENT NAIL PULLERS

Knowing that these tools will receive severe treatment, we have designed them with plenty of strength and ruggedness to enable them to give satisfactory service.



Rammers are of cast iron, heavy enough to drive the jaws into a box enough to enable them to get a good grip on the nail head.

Drop forged jaws, made in box joint style to keep them in perfect alignment.

REPAIR PARTS FOR NAIL PULLERS



These parts are available at all times, making it possible to keep Nail Pullers in service.

In ordering, be sure to specify the number of the puller for which parts are required.



CRESCENT No. 1 GIANT NAIL PULLER

Consists of rammer, handle and long and short jaw. Box joint keeps jaws in perfect alignment.

Finish: Aluminum finish rammer, blue body and handhold, polished jaws.

Number	Overall Length	Rammer Length	Weight, Each
1	18"	12"	4 lbs. 11 oz.

Packed—One dozen in case, weight, 60 lbs.



CRESCENT No. 13 ECLIPSE NAIL PULLER

Forged steel jaws. Box joint keeps jaws in perfect alignment.

Finish: Blue rammer, natural black jaws.

Number	Overall Length	Rammer Length	Weight, Each
13	18"	11"	4 lbs. 12 oz.

Packed—One dozen in case, weight, 59 lbs.

Conforms to Fed. Spec. GGG-P-791a — Type I.



CRESCENT No. 101 GIANT NAIL PULLER

Forged steel jaws. Equipped with box chisel and strap cutter. Box joint keeps jaws in perfect alignment.

Finish: Aluminum finished rammer, blue body and handhold. Polished jaws.

Number	Overall Length	Rammer Length	Weight, Each
101	20"	12"	5 lbs. 3 oz.

Packed—One dozen in case, weight, 61 lbs.

CRESCENT GRIPS

— A TYPE FOR EVERY
LINE WORK REQUIREMENT

THIS STYLE SHOWN
ON PAGE 39

THIS STYLE
SHOWN
BELOW

CRESCENT HAVEN'S GRIPS

Recently redesigned and thoroughly tested in the field under actual service conditions by several power companies. Forged from special alloy steel and carefully heat treated.

1. Note solid loop — cannot pull out or stretch out of line.
2. Large eye will accommodate heavy hook.
3. Extra heavy construction adds strength and gives long life.




SPECIFICATIONS

Number	Max. Opening	Min. Opening	Safe Load	Eye Opening	Weight
368	1/4" (6.5 mm.)	.050" (1.5 mm.)	2500 lbs. (1100 KG)	7/8 x 1 1/4	1 lb.
369	1/2" (12.5 mm.)	3/8" (9.5 mm.)	5000 lbs. (2200 KG)	1 1/8 x 1 11/16	2 lbs. 6 oz.

Finish: Cadmium plate.
Packed—One in a box.

CRESCENT WIRE GRIPS



**CAN'T JAM
NON SLIP GRIP
INSTANT RELEASE**

**Each Grip is tested to
full load capacity before
it leaves the factory.**

1. Parallel jaws give a firm, non slip grip that will not injure the wire.
2. Special hook prevents grip from dropping off wire.
3. Large eye — will accommodate hook on tackle block.
4. Ring at top for use with hot line hooks.
5. All parts heavily built for strength and long life.
6. No jaw springs. Easy to place on wire with jaws fully open.

SPECIFICATIONS

For bare and insulated wire, use serrated jaw style. For bare aluminum wire only, smooth jaws.

Number	Maximum Capacity		Minimum Capacity		Safe Load	Eye Opening	Weight
383 — Serrated Jaws	$\frac{5}{16}$	(.3125)" 8 mm.	$\frac{5}{32}$	(.156)" 4 mm.	5,000 lbs. (2200 KG)	$1\frac{1}{8}" \times 1\frac{1}{16}"$	1 $\frac{3}{4}$ lbs.
383-2 — Same, except with smooth jaws for aluminum wire.							
384 — Serrated Jaws	$\frac{1}{2}$	(.500)" 12.2 mm.	$\frac{1}{4}$	(.250)" 6.5 mm.	7,500 lbs. (3400 KG)	$1\frac{1}{4}" \times 1\frac{3}{4}"$	3 $\frac{5}{8}$ lbs.
384-2 — Same, except with smooth jaws for aluminum wire.							
385 — Serrated Jaws	$\frac{3}{4}$	(.750)" 19 mm.	$\frac{3}{8}$	(.375)" 9.5 mm.	10,000 lbs. (4500 KG)	$1\frac{1}{4}" \times 1\frac{3}{4}"$	4 $\frac{7}{8}$ lbs.
385-2 — Same, except with smooth jaws for aluminum wire.							
386 — Serrated Jaws	$1\frac{1}{16}$	(1.0625)" 27 mm.	$\frac{9}{16}$	(.5625)" 14.5 mm.	12,500 lbs. (5600 KG)	$1\frac{5}{8}" \times 2\frac{3}{8}"$	9 lbs.
386-2 — Same, except with smooth jaws for aluminum wire.							
386-20 — Smooth Jaw — for 795000 CM ACSR only					12,500 lbs. (5600 KG)	$1\frac{5}{8}" \times 2\frac{3}{8}"$	9 lbs.
Made on special order only.							

Finish: Cadmium plated.

Packed — One in a carton.

CRESCENT TOOLS
Give Wings to Work®

CAPACITY DATA — CRESCENT WIRE GRIPS — SERRATED JAW

Grip No.	Serrated Jaw		Steel	Copper—Bare			(Note)* Copper—Weatherproof		Copper Weld	
Safe Load	Capacity			Solid	Stranded		Solid	Stranded	Stranded	
Weight	Min.	Max.	Strand							
			Guy	A.W.G.	Cir. Mils or A.W.G.	No. of Wires	A.W.G.	A.W.G. or Cir. Mils	3 Wire A.W.G.	7 Wire A.W.G. or Cir. Mils
383										
S.L. 5000 lb.	5/32"	5/16"		6	8	3	14	8	8A	
Wt. 1-3/4 lb.	.156	.3125	5/32"	4	6	3	12	6	7A	
			3/16"	2	6	7	10		6A	
					4	3	8		5A	
					4	7			4A	
384										
S.L. 7500 lb.	1/4"	1/2"		2	4	3	6	6	5A	5
Wt. 3-5/16 lb.	.250	.500	1/4"	1/0	2	3	4	4	4A	4
			5/16"	2/0	2	7	2	2	3A	3
				3/0	1/0	7	1/0		2A	2
					2/0	7				1
										1/0
										2/0
385										
S.L. 10000 lb.	3/8"	3/4"			3/0	7		1/0		1/0
Wt. 4-7/8 lb.	.375	.750	3/8"	3/0	3/0	12	2	2/0		2/0
			1/2"	4/0	4/0	7	1/0	3/0		3/0
			5/8"		4/0	12		4/0		4/0
					4/0	19				
386										
S.L. 12500 lb.	9/16"	1-1/16"			250 000	12				19 Wire
Wt. 9 lb.	.5625	1.0625	5/8"		250 000	19		2/0		250 000
			Extra		300 000	12		3/0		300 000
			High		300 000	19		4/0		350 000
			Strength		350 000	12		250 000		
					350 000	19		300 000		
					400 000	19		400 000		
					450 000	19		450 000		
					450 000	37				
					500 000	37				
					550 000	37				
					600 000	37				
								(Note)* Double and Triple Braid—Thickness Vary		

CAPACITY DATA — CRESCENT WIRE GRIPS — SMOOTH JAW

Grip No. Safe Load	Smooth Jaw Capacity		A. C. S. R.				All Aluminum Cable Bare Hard Drawn		
			Cir. Mils or A.W.G.	Number of Strands		Diameter Inches	Cir. Mils or A.W.G.	Number of Strands	Cable Dia. Inches
	Min.	Max.		Alum.	Steel				
383-2 S.L. 5000 lb. Wt. 1-3/4 lb.	5/32"	5/16"	6	6	1	0.198	6	7	0.184
	.156	.3125	5	6	1	0.223	4	7	0.232
			4	6	1	0.250	3	7	0.260
			4	7	1	0.257	2	7	0.292
			3	6	1	0.281			
384-2 S.L. 7500 lb. Wt. 3-5/16 lb.	1/4"	1/2"	4	7	1	0.257	2	7	0.292
	.250	.500	3	6	1	0.281	1	7	0.328
			2	6	1	0.316	1/0	7	0.368
			2	7	1	0.325	1/0	19	0.373
			1	6	1	0.355	2/0	7	0.414
			1/0	6	1	0.398	2/0	19	0.419
			2/0	6	1	0.447			
385-2 S.L. 10000 lb. Wt. 4-7/8 lb.	3/8"	3/4"	1/0	6	1	0.398	2/0	19	0.419
	.375	.750	2/0	6	1	0.447	3/0	7	0.464
			3/0	6	1	0.502	3/0	19	0.470
			4/0	6	1	0.563	4/0	7	0.522
			266 800	6	7	0.633	4/0	19	0.528
			266 800	26	7	0.642	250 000	37	0.575
			300 000	26	7	0.680	266 800	7	0.586
			336 400	26	7	0.721	266 800	37	0.594
							300 000	19	0.629
							300 000	37	0.630
							336 400	19	0.666
							336 400	37	0.668
							350 000	37	0.681
							397 500	19	0.724
386-2 S.L. 12500 lb. Wt. 9 lbs.	9/16"	1-1/16"	300 000	26	7	0.680	336 400	19	0.666
	.5625	1.0625	336 400	26	7	0.721	336 400	37	0.668
			397 500	30	7	0.741	350 000	37	0.681
			477 000	26	7	0.783	397 500	19	0.724
			477 000	30	7	0.806	477 000	19	0.793
			556 500	26	7	0.858	500 000	19	0.812
			556 500	30	7	0.883	500 000	37	0.813
			605 000	26	7	0.927	556 500	19	0.856
			605 000	30	7	0.953	636 000	37	0.918
			605 000	54	7	0.953	715 500	37	0.974
			636 000	26	7	0.966			
			636 000	30	19	0.994			
			636 000	54	7	0.977			
			636 000	26	7	0.990			
			636 000	30	19	1.019			
386-20 S.L. 12500 lb. Wt. 9 lb.	—	—	795 000	26	7	1.108			
	This item on special order only								

You can always do your Best Work when using CRESCENT TOOLS

CRESCENT SLEEVE WRENCHES

**PRODUCE BETTER JOINTS
FASTER ... SAFER**


FEATURES

Sliding handle clears tackle allowing full turns in close quarters.

Oil impregnated hickory handle makes practically perfect insulation, preventing flash if contacted with hot wire.

Cam and lever action closes Jaws easily and locks positively when closed. Readily released with one hand even with heavy gloves.

Design of the openings is such that maximum strength of the joint is secured. Tests indicate that joints made with No. 750 Sleeve Wrench give nearer 100 per cent of the theoretical strength of the sleeve than with any other method.



Sleeve can be twisted six full turns without cracking or injury.

Can be carried in loop on tool belt.

For use with single and double tube sleeves.

Order in pairs (see cuts below).

SPECIFICATIONS

Finish—Metal parts are *cadmium plated*. Hickory handle impregnated with linseed oil.

Material—Jaws and cam lever are heat treated, forged steel.

Length—Over all 20 inches.


Weight—5 pounds 3 oz. a pair, boxed.

Packed—Two in a box.

Handles—Handles 20 inches long are standard.


See following pages for some of the many combinations of openings available in CRESCENT SLEEVE WRENCHES.

**INSURE 90-98%
PERFECT JOINTS**



SLIDING HANDLE CLEARS
TACKLE. NO UNCLAMPING

HANGS SECURELY
IN BELT



READILY RELEASED
WITH ONE HAND

SIX FULL TURNS WITHOUT
DAMAGE TO SLEEVE

CRESCENT TOOLS
Give Wings to Work

CAPACITY —

Any sleeve, Copper or Aluminum, up to and including No. 3/0 Solid Copper, No. 2/0 Stranded Copper or No. 1/0 ACSR. Two, three or four openings can be put in one wrench depending on the size of the openings. If two larger sized openings are used it is possible to get in only one of the smaller sizes.



THIS PAGE LISTED BY NUMBER

* 750-1—1-0 Sol. 2 Sol. 4 Sol. 6 Sol.
* 750-2—2 ACSR 2 Sol. 4 Sol. 6 Sol.
750-3—3-0 Sol. 2-0 Sol. 1-0 Sol.
750-4—2-0 Str. 1-0 Str. 6 Sol.
* 750-5—1-0 ACSR 2 ACSR 4 ACSR
750-6—1-0 Str. 2 Sol. 3 Sol. 6 Sol.
* 750-7—1-0 Str. 1 Str. 2 Str. 4 Str.
* 750-8—2-0 Str. 1-0 Str. 2 Str.
750-9—2 Str. 4 Sol. 6 Sol.
* 750-10—1-0 Str. 2 Sol. 4 Sol. 6 Sol.
750-11—1-0 Str. 2 Str. 4 Sol. 6 Sol.
750-12—1-0 Str. 1 Str. 2 Str. 4 Str. 8 R.
750-13—2 Str. 2 Sol. 4 Str. 4 Sol.
750-14—1-0 Str. 2 Sol. 2 ACSR
* 750-15—1-0 Str. 2 Str. 4 Str. 6 Str.
750-16—1-0 Str. 2 ACSR 4 ACSR
750-17—2 Sol. 4 Sol. 6 Sol. 8 Sol.
750-18—2-0 Str. 1 Str. 2 Str.
750-19—19-16 Str. 7-14 Str. 7-16 Str.
7-18 Str. S. W. G.
750-20—4 Sol. 4A 6A 8A
750-21—95 MM² 70 MM² 50 MM²
(Metric System)
750-22—1-0 Str. 3 Sol. 4 ACSR
750-23—4 Sol. 4A 3 No. 8 6A
750-24—2 ACSR 2 Str. 2 Sol. 4 Sol.
750-25—2-0 Str. 2 Str. 4 Sol. 6 Sol.
750-26—2-0 Str. 2 ACSR 2 Sol.
750-27—1-0 Str. 3 Sol. 4 ACSR 6 Sol.
750-28—2 Str. 3 Str. 4 ACSR 6 Sol.
750-29—1-0 Sol. 1 Sol. 2 Sol. 4 Sol.
750-30—2-0 Str. 1-0 Str. 2 Sol.
750-31—1 Sol. 2 ACSR 4 ACSR 6 Sol.
750-32—2 ACSR 2 Str. 4 Sol. 6 Sol.
750-33—1-0 Sol. 6 Str. 8 Str. 10 Str.
750-34—1-0 Sol. 1 Sol. 2 Sol. 3 Sol.
750-35—4A 6A 7A 8A 2 No. 10
750-36—3 Sol. 8 Sol.
750-37—2 Str. 4 Sol. 4 ACSR
750-38—4A 5 Sol. 6A 7A
750-39—1 Sol. 2 Sol. 4 Sol. 5 Sol.
750-40—8A
750-41—2-0 Str. 2 Str.
750-42—2-0 Sol. 1 Sol. 3 Sol. 6 Sol.
750-43—1 Sol. 2 Sol. 3 Sol. 4 Sol.
750-44—4A No. 4-3 Str. 6A No. 6-3 Str.
750-45—1 Sol. 3 Sol. 4 Sol.
750-46—1 Sol. 3 Sol. 5 Sol.
750-47—2 Str. 4 Str. 6 Str. 8 Sol.
750-48—4 Sol. 6 Sol. 8 Sol. 10 Sol. 12 Sol.
750-49—2 ACSR 2 Str. 4 Sol. 8A
750-50—2 Sol. 4 ACSR 6 Sol.
750-51—2 ACSR 2 Sol. 4 ACSR
750-52—4 Sol. 6 Sol. 8A
750-53—1-0 Str. 2 Sol. 4A 6A
750-54—2-0 ACSR 1 ACSR
750-55—2-0 Str. 2 Sol. 4 Sol. 6 Sol.
750-56—2-0 Str. 4 Sol. 4 ACSR
750-57—2-0 Str. 4 ACSR 4 Sol.
750-58—2 Sol. 4 Sol. 4 ACSR 6 Sol.
750-59—2 Sol. 4 Sol. 6 Sol. 6A
750-60—95 MM² 70 MM²
750-61—1-0 ACSR 2 ACSR 8A
750-62—2 Str. 4 Str. 4 Sol. 6 Sol.
750-63—2 Sol. 4 Sol. 4A 6A
750-64—2 ACSR 4 ACSR 6 ACSR
750-65—2 ACSR 3 Sol. 4 ACSR 6 Sol.
750-66—1-0 Str. 2 Str. 2 Sol.
750-67—No. 7 Steel
750-68—1-0 Str. 6A 8A
750-69—1-0 Sol. 2 Sol. 4 Sol. 6 Sol.
Mod. D. T.
750-70—2A 2 Sol. 4 Sol. 6 Sol.
750-71—2-0 Sol. 1-0 Sol. 2 Sol.
750-72—2 ACSR 4 ACSR 6A 6 Sol.
750-73—4 Sol. 4 ACSR 6 Sol. 6 ACSR
750-74—1-0 Str. 2 Sol. 4A 4A
750-75—2 ACSR 2 Sol. 4 ACSR 4 Sol.
750-76—2 Str. 4 Sol. 6A
750-77—2 Str. 2 Sol. 4 Sol. 6 Sol.
750-78—4 Sol. 4A 6 Sol. 6A
750-79—2 ACSR 4 ACSR
750-80—1 ACSR 2 ACSR 4 ACSR
750-81—2-0 Sol. 1 Sol. 2 Sol.
750-82—2-0 Str. 2 Str. 4 Sol. 6A
750-83—2-0 Str. 1-0 ACSR 1 Str. 2 ACSR
750-84—1-0, 2 Str. 1, 2, 3 Sol. 1, 4 ACSR
750-85—1-0 Str. 1 Sol. 2 Sol. 4 Sol.
750-86—1-0 Str. 2 Str. 4A 6A
750-87—1-0 Sol. 2 Sol. 4 Sol. 4 ACSR
750-88—2A 4A 4 Sol. 6 Sol. 8 B. W. G.

750-89—4A 6A 6 Sol. 8A
750-90—1 Str. 2 ACSR 4 ACSR 4 Sol.
750-91—1-0 Str. 2 Str. 3 Str.
750-92—2-0 Sol. 2 Sol. 4 Sol. 6 Sol.
750-93—1-0 Str. 1 ACSR 1 Sol. 3 Sol.
750-94—1-0 Sol. 2 Str. 4 Sol. 6 Sol.
750-95—2 ACSR 2 Str. 6A 8A
750-96—1 Str. 4 Sol. 6 Sol. 8 Sol.
750-97—1-0 Str. 1 Sol. 3 ACSR
* 750-98—2 ACSR 4 ACSR 4 Sol. 6 Sol.
750-99—2A 4 Sol. 6A 6 Sol.
750-100—No. 2-3 Str. 4 Sol. 6A
750-101—2A 4A 6A 8A
750-102—1-0 Str. 3 Sol. 6 Sol.
750-103—2-0 Sol. 1 Sol. 4 Sol. Mod. D. T.
750-104—1 Str. 2A 2 Str. 6 Sol.
750-105—2-0 Str. 2 Str. 4 Str.
750-106—4 ACSR 4A 6A
750-107—2 ACSR 2 Str. 2 Sol. 6A
750-108—1-0 Sol. 2 Sol. 4 Sol. 6A
750-109—1-0 Str. No. 2-3 Str. 4 ACSR
750-110—4 Sol. 4A 6A 8A
750-111—115M C.M. Str. 1-0 Str. 3 Str.
D. T.
750-112—4 ACSR 6A 6 Sol. 8 Sol.
750-113—1-0 Str. 2 Str. 2 Sol. 4 Sol.
750-114—1-0 Str. 2 Sol.
750-115—1-0 Str. 1-0 Sol. 2 Sol. 4 Sol.
D. T.
750-116—3A 4A 6A
750-117—2A 4A 3/4 C. W. Str.
750-118—1-0 Str. 2 ACSR 2 Str.
4 ACSR 4 Sol.
750-119—4 Sol. 6 Sol. 6A 8A
750-120—6A 6 Sol. 8A 8 Sol.
750-121—1-0 Str. 6A 6 Sol. 3 No. 12
750-122—1 ACSR 4 Sol. 6 Sol. 6A
750-123—6A 8A 3 No. 12
750-124—4 Sol. 6 Sol. 6A 6 Cu. Wire
750-125—1-0 Sol. 1 Sol. 2 Sol. 4 Sol.
Mod. D. T.
750-126—4 Sol. 4A 6 Sol. 6A 8A
750-127—4 Sol. 6A 8A 3 No. 12
750-128—4 Sol. 4A 6 Str.
750-129—2 ACSR 2 Str. 4 ACSR 6A
750-130—2 ACSR 4 ACSR 6 ACSR
8 ACSR
750-131—4A 6A 8A 3 No. 12
750-132—4 Sol. 6A 8A Mod. D. T.
750-133—1 Sol. 2 Sol. 4 Sol. 6 Sol. D. T.
750-134—2-0 Sol. 1-0 Sol. 4A
750-135—2 Str. 4 Str. 6 Str.
750-136—3-0 Sol. 1-0 Sol. 2 Sol.
750-137—2-0 Str. 2 Sol. 6A 6 Sol.
750-138—7-14 7-16 8 Sol. 7-18 S. W. G.
750-139—7-14 ACSR 7-15 ACSR 7-16
8 Sol. S. W. G.
750-140—8 Sol. 10 Sol. S. W. G.
750-141—4 Sol. 4 ACSR 6A 8A
750-142—1 Str. 4 Str. 6A 8A
750-143—6A 6A 8A 8A
750-144—1 Str. 2 Sol. 4 Sol.
750-145—1-0 Str. 4A 4 Sol. 6 Sol.
750-146—2 ACSR 4 ACSR 6A 8A
750-147—2 ACSR 4 ACSR 4 Sol.
750-148—2 ACSR 2 Str. 4 ACSR 4 Str.
6A
750-149—2-0 ACSR 1-0 ACSR
750-150—6A 8A 4 Sol.
750-151—S. W. G. Sample Sleeves
750-152—2 Sol. 6A 4 Sol. 6 Str.
750-153—1-0 Str. No. 2-3 Str. 6A 8A
750-154—2 ACSR 4 ACSR 4A 6A
750-155—1-0 Str. 3 Str. 6A
750-156—2 Str. 4A 6A 8A
750-157—4 Str. 6 Str. 6 Sol.
750-158—1-0 Str. 1 Str. 6 Str.
750-159—4A 6A 8A 8 Sol.
750-160—2 ACSR 4 ACSR 2 Str. 4A 6A
750-161—4 ACSR 6A 4 Sol. 6 Sol.
750-162—2 ACSR 4 ACSR 6 Sol. 8 Sol.
750-163—2-0 Str. 1-0 Str. 4 Sol.
750-164—S.W.G. Sample Sleeves
750-165—1 Sol. No. 631 Calsun Br. Cu.
8A
750-166—4A 6A 7A 8A 3 No. 12 8C 9 1/2 D.
750-167—6A 4 Sol. 9 1/2 D. 6 Sol.
750-168—1-0 Str. 2 ACSR 4 ACSR 2 Str.
4 Sol.
750-169—1-0 Sol. 1 Sol. 2 Sol.
750-170—2 ACSR 4 ACSR 8A
750-171—3 No. 6 4A 6A
750-172—S.C.G. Sleeves
750-173—1-0 ACSR 2 ACSR 2 Sol.
750-174—No. 2-3 Str. 6A 4 Sol. 8A
750-175—2 ACSR 4A 2 Sol. 4 Sol.

750-176—1-0 Str. 1-0 Sol.
750-177—1 Str. 6A 4 Sol. 6 Sol.
750-178—2-0 Str. 1-0 Str. 1 Str.
750-179—6A 4 Sol. 8A 9 1/2 D.
750-180—3 No. 6 3 No. 8 3 No. 10
750-181—2-0 Str. 2 Str. 4A 4 ACSR
750-182—1-0 Sol. 2 Sol. 3 Sol. 6 Sol.
750-183—6A 8A 3 No. 12 6 Sol.
750-184—2-0 Str. 2 Str. 4 ACSR
750-185—1-0 ACSR 2 ACSR 6 SCG
750-186—2-0 Sol. 1-0 Str. 6 Sol.
750-187—2-0 ACSR 2 ACSR 4 ACSR
750-188—1-0 Sol. 1 Str. 2 Sol. 3 Str.
4 Str. 6 Str.
750-189—2 Str. 4 Str.
750-190—1-0 Str. 2 Str. 4 Str. 6 Sol.
750-191—4A 6A 7A 8A 3 No. 12
750-192—2-0 Str. 1-0 Sol. 2 Str.
750-193—2-0 Str. 2A 2 Sol.
750-194—3-8 Str. 11-32 Str. 5-16 Str.
750-195—3-8 Str.
750-196—3A 1-0 Sol. 6A 3 Sol. 8A 4 Sol.
750-197—No. 2-3 Str. 6A 8A 3 No. 12
750-198—2 Str. 6A 4 Sol. 6 Sol.
750-199—No. 2-3 Str. 4A 6A 8A
750-200—6A 6 Str. 9 1/2 D. 6 Sol.
750-201—2 Str. 4 Str. 6 Sol. 8 Sol.
750-202—4 ACSR 8X 12 SCG
750-203—6A 8A 9 1/2 D. 6 Sol.
750-204—1-0 Str. 1 Str. 2 Str. 4 Sol.
750-205—4 ACSR 6A 8A 3 No. 13
750-206—2-0 Sol. 2 Sol. 4 Sol. 7 Sol.
750-208—1-0 ACSR 1 ACSR 2 ACSR
750-209—1-0 ACSR 2 ACSR 2 Str.
750-210—3-0 Sol. 1 Sol. 4 Sol.
750-211—2 ACSR 4A 6A 8A
750-212—6 SCG 8X 12 SCG Amerductur
750-213—4A 6 SCG 6A 8A
750-214—4A 6A 8A
750-215—2-0 Sol. 4 Sol. 6 Sol.
750-216—4 ACSR 6A 8A 9 1/2 D.
750-217—6A 8A 9 1/2 D. 3 No. 13
750-218—1 ACSR 2 ACSR 8A
750-219—8X 6 SCG 12 SCG
750-220—4 ACSR 6 SCG 8A 12 SCG
750-221—1-0 Str. 3 Sol. 4 Sol. 6 Sol.
750-222—2 SCG 4 SCG 6 SCG 8X
750-223—2A 4D
750-224—No. 2-3 Str. 4 Sol. 6 Sol.
750-225—No. 1-3 Str. 2-3 Str. 4A 6A
750-226—1-0 ACSR 2A
750-227—6A 8A 9 1/2 D.
750-228—1-0 Sol. 1 Str. 2 Sol. 3 Str.
4 Sol. 6 Sol.
750-229—3 No. 7, 2 Str., 4 Sol.
750-230—6 ACSR, 8A
750-231—3-8 C'weld
750-232—4 ACSR 6A 8A 6 Sol.
750-233—2 Str. 4 Str. 6 Sol.
750-234—2A 1 Str. 8A 6 Sol.
750-235—1-0 Str. 2 Str. 4 Sol.
750-236—2 ACSR 4A 6A
750-237—4 SCG 8X SCG 6 SCG 12 SCG
750-238—4 Sol. 6 Sol.
750-239—2-0 Str. 1-0 Sol.
750-240—2-0 Str. 2 ACSR 2 Str.
750-241—4 ACSR 6A 6-3 Str. 6 Sol.
750-242—6 Sol. Crapo Steel
750-243—No. 6-3 Wire Steel
750-244—1-0 Str. 4 ACSR 2 Sol.
750-245—1-0 ACSR 4 ACSR 6 ACSR
750-246—No. 1-3 Str. 4 ACSR 6A
750-247—No. 6-3 Steel 6A 8A
750-248—4 ACSR 6A 8A
750-249—1 Sol. D. T. 6A 8A
750-250—1-0 Str. 2 Str. 6A 8A
750-251—No. 2-3 Str. 4 ACSR 4 Sol. 6 Sol.
750-252—4A 6A 6 Sol. 8 Sol.
750-253—3 No. 8 Amerd. 8X Amerd.
750-254—1 Sol. 1 Sol. 6A No. 6-3 Str.
750-255—6 SCG 6A
750-256—2 ACSR 4 ACSR 6-3 Str.
750-257—4 SCG 6 SCG 12 SCG
750-258—2 ACSR 4 Str. 6 A
750-259—2 ACSR 4 ACSR 6 Sol.
750-260—No. 6-3 Am. 6A 8A 3 No. 12
750-261—6 ACSR 6 Sol. 8 Sol. 9 Sol.
750-262—No. 120 Memco Sleeve
750-263—2 ACSR 4 ACSR No. 6-3 Steel
750-264—
750-265—6 SCG 8 SCG 12 SCG Amerd.
750-266—4 ACSR 8 SCG Amerd.
750-267—1 Str. 6A 4 Sol.
750-268—4 Alum. 6 ACSR 8 ACSR
6 Alum.
750-269—1-0 ACSR 4A 6A 8A

*These numbers in stock
All others made to order.

For Use With Single or Double Tube Sleeves

750-270—3 No. 6
 750-271—2 ACSR 6A 4 ACSR 4 Sol.
 750-272—3 No. 10 6A
 750-273—1 Str. 1 Sol. 4 A 4 Sol. 6A
 750-274—3-0 Sol. 2-0 Str. 2-0 Sol. 1-0 Str.
 750-275—2-0 Str. 1 Str. 4 Sol. 6 Sol.
 750-276—No. 2-3 Str. 6A 4 Sol. 8A
 750-277—2-0 Sol. 1-0 Sol. 2 Sol. 4 Sol.
 750-278—8X 10 SCG 4 Sol. 6 Sol.
 750-279—2 ACSR 4 ACSR 6 ACSR 6A
 750-280—1-0 Str. No. 2-3 Str. No. 4-3 Str.
 4 Sol.
 750-281—1-0 Str. 1 Str. 6 Sol.
 750-282—1 Str. 2 Sol. 4 Sol. 6 Sol.

THIS PAGE LISTED BY OPENINGS

750-210—3-0 Sol. 1 Sol. 4 Sol.
 750- 3—3-0 Sol. 2-0 Sol. 1-0 Sol.
 750-136—3-0 Sol. 1-0 Sol. 2 Sol.
 750-274—3-0 Sol. 2-0 Str. 2-0 Sol. 1-0 Str.
 750- 60—95 MM² 70 MM²
 750- 21—95 MM² 70 MM² 50 MM²
 750- 54—2-0 ACSR 1 ACSR
 750-149—2-0 ACSR 1-0 ACSR
 750-187—2-0 ACSR 2 ACSR 4 ACSR
 750- 8—2-0 Str. 1-0 Str. 2 Str.
 750- 30—2-0 Str. 1-0 Str. 2 Sol.
 750- 4—2-0 Str. 1-0 Str. 6 Sol.
 750- 26—2-0 Str. 2 ACSR 2 Sol.
 750- 18—2-0 Str. 1 Str. 2 Str.
 750- 41—2-0 Str. 2 Str.
 750- 56—2-0 Str. 4 ACSR 2 Sol.
 750- 57—2-0 Str. 4 ACSR 4 Sol.
 750- 25—2-0 Str. 2 Str. 4 Sol. 6 Sol.
 750- 55—2-0 Str. 2 Sol. 4 Sol. 6 Sol.
 750- 82—2-0 Str. 2 Str. 6A 4 Sol.
 750-105—2-0 Str. 2 Str. 4 Str.
 750-137—2-0 Str. 2 Sol. 6A 6 Sol.
 750-163—2-0 Str. 1-0 Str. 4 Sol.
 750-178—2-0 Str. 1-0 Str. 1 Str.
 750-181—2-0 Str. 2 Str. 4A 4 ACSR
 750-184—2-0 Str. 2 Str. 4 ACSR
 750-192—2-0 Str. 1-0 Sol. 2 Str.
 750-193—2-0 Str. 2A 2 Sol.
 750-239—2-0 Str. 1-0 Sol.
 750-240—2-0 Str. 2 ACSR 2 Str.
 750-275—2-0 Str. 1 Str. 4 Sol. 6 Sol.
 750- 5—1-0 ACSR 2 ACSR 4 ACSR
 750- 61—1-0 ACSR 2 ACSR 8A
 750- 83—1-0 ACSR 2-0 Str. 2 ACSR
 1 Str.
 750-173—1-0 ACSR 2 ACSR 2 Sol.
 750-185—1-0 ACSR 2 ACSR 6 SCG
 750-208—1-0 ACSR 1 ACSR 2 ACSR
 750-209—1-0 ACSR 2 ACSR 2 Str.
 750-226—1-0 ACSR 2A
 750-245—1-0 ACSR 4 ACSR 6 ACSR
 750-269—1-0 ACSR 4A 6A 8A
 750-164—S.W.G. Sample Sleeves
 750-194—3-8 Str. 11-32 Str. 5-16 Str.
 750-195—3-8 Str.
 750-222—2 SCG 4 SCG 6 SCG 8X
 750- 42—2-0 Sol. 1 Sol. 3 Sol. 6 Sol.
 750- 71—2-0 Sol. 1-0 Sol. 2 Sol.
 750- 81—2-0 Sol. 1 Sol. 2 Sol.
 750- 92—2-0 Sol. 2 Sol. 4 Sol. 6 Sol.
 750-103—2-0 Sol. 1 Sol. 4 Sol. D. T.
 750-134—2-0 Sol. 1-0 Sol. 4A
 750-186—2-0 Sol. 1-0 Str. 6 Sol.
 750-206—2-0 Sol. 2 Sol. 4 Sol. 7 Sol.
 750-215—2-0 Sol. 4 Sol. 6 Sol.
 750-277—2-0 Sol. 1-0 Sol. 2 Sol. 4 Sol.
 750- 16—1-0 Str. 2 ACSR 4 ACSR
 750- 7—1-0 Str. 1 Str. 2 Str. 4 Str.
 750- 12—1-0 Str. 1 Str. 2 Str. 4 Str. 8R
 750- 14—1-0 Str. 2 ACSR 2 Sol.
 750- 53—1-0 Str. 4A 2 Sol. 6A
 750- 22—1-0 Str. 4 ACSR 3 Sol.
 750- 15—1-0 Str. 2 Str. 4 Str. 6 Str.
 750- 27—1-0 Str. 4 ACSR 3 Sol. 6 Sol.
 750- 11—1-0 Str. 2 Str. 4 Sol. 6 Sol.
 750- 6—1-0 Str. 2 Sol. 3 Sol. 6 Sol.
 750- 10—1-0 Str. 2 Sol. 4 Sol. 6 Sol.
 750- 66—1-0 Str. 2 Str. 2 Sol.
 750- 68—1-0 Str. 6A 8A
 750- 74—1-0 Str. 4A 2 Sol. 4 Sol.
 750- 84—1-0 Str. 2 Str. 1, 2, 3 Sol.
 1, 4 ACSR
 750- 85—1-0 Str. 1 Sol. 2 Sol. 4 Sol.
 750- 86—1-0 Str. 2 Str. 4A 6A
 750- 91—1-0 Str. 2 Str. 3 Str.
 750- 93—1-0 Str. 1 ACSR 1 Sol. 3 Sol.
 750- 97—1-0 Str. 3 ACSR 1 Sol.
 750-102—1-0 Str. 3 Sol. 6 Sol.
 750-109—1-0 Str. No. 2-3 Str. 4 ACSR
 750-113—1-0 Str. 2 Str. 2 Sol. 4 Sol.
 750-114—1-0 Str. 2 Sol.
 750-115—1-0 Str. 1-0 Sol. 2 Sol. 4 Sol.
 D. T.
 750-118—1-0 Str. 2 ACSR 2 Str.
 4 ACSR 4 Sol.

750-121—1-0 Str. 6A, 3 No. 12 6 Sol.
 750-145—1-0 Str. 4A 4 Sol. 6 Sol.
 750-153—1-0 Str. No. 2-3 Str. 6A 8A
 750-155—1-0 Str. 3 Str. 6A
 750-158—1-0 Str. 1 Str. 6 Str.
 750-168—1-0 Str. 2 ACSR 4 ACSR
 2 Str. 4 Sol.
 750-176—1-0 Str. 1-0 Sol.
 750-190—1-0 Str. 2 Str. 4 Str. 6 Sol.
 750-204—1-0 Str. 1 Str. 2 Str. 4 Sol.
 750-221—1-0 Str. 3 Sol. 4 Sol. 6 Sol.
 750-235—1-0 Str. 2 Str. 4 Sol.
 750-244—1-0 Str. 4 ACSR 2 Sol.
 750-250—1-0 Str. 2 Str. 6A 8A
 750-280—1-0 Str. No. 2-3 Str. No. 4-3
 Str. 4 Sol.
 750-281—1-0 Str. 1 Str. 6 Sol.
 750-171—3 No. 6 4A 6A
 750-180—3 No. 6 3 No. 8 3 No. 10
 750-270—3 No. 6
 750- 80—1 ACSR 2 ACSR 4 ACSR
 750-122—1 ACSR 6A 4 Sol. 6 Sol.
 750-218—1 ACSR 2 ACSR 8A
 750- 70—2A 2 Sol. 4 Sol. 6 Sol.
 750- 88—2A 4A 4 Sol. 8 B.W.G. 6 Sol.
 750- 99—2A 6A 4 Sol. 6 Sol.
 750-101—2A 4A 6A 8A
 750-104—2A 1 Str. 2 Str. 6 Sol.
 750-223—2A 4D
 750-234—2A 1 Str. 8A 6 Sol.
 750-111—115 CM. Str. 1-0 Str. 3 Str.
 D. T.
 750-117—3-8 CW. Str. 2A 4A
 750-225—No. 1-3 Str. No. 2-3 Str. 4A 6A
 750-231—3-8 Copperweld
 750-246—No. 1-3 Str. 4 ACSR 6A
 750- 2—2 ACSR 2 Str.
 750- 51—2 ACSR 4 ACSR 2 Sol.
 750- 24—2 ACSR 2 Str. 2 Sol. 4 Sol.
 750- 64—2 ACSR 4 ACSR 6 ACSR
 750- 65—2 ACSR 4 ACSR 3 Sol. 6 Sol.
 750- 49—2 ACSR 2 Str. 4 Sol. 8A
 750- 32—2 ACSR 2 Str. 4 Sol. 6 Sol.
 750- 31—2 ACSR 4 ACSR 1 Sol. 6 Sol.
 750- 1—2 ACSR 2 Sol. 4 Sol. 6 Sol.
 750- 75—2 ACSR 4 ACSR 2 Sol. 4 Sol.
 750- 79—2 ACSR 4 ACSR
 750- 90—2 ACSR 1 Str. 4 ACSR 4 Sol.
 750- 95—2 ACSR 2 Str. 6A 8A
 750- 98—2 ACSR 4 ACSR 4 Sol. 6 Sol.
 750-107—2 ACSR 2 Str. 2 Sol. 6A
 750-129—2 ACSR 4 ACSR 2 Str. 6A
 750-130—2 ACSR 4 ACSR 6 ACSR
 8 ACSR
 750-146—2 ACSR 4 ACSR 6A 8A
 750-147—2 ACSR 4 ACSR 4 Sol.
 750-148—2 ACSR 2 Str. 4 ACSR 4 Str. 6A
 750-154—2 ACSR 4 ACSR 4A 6A
 750-151—S. W. G. Sample Sleeves
 750-160—2 ACSR 4 ACSR 2 Str. 4A 6A
 750-162—2 ACSR 4 ACSR 6 Sol. 8 Sol.
 750-170—2 ACSR 4 ACSR 8A
 750- 72—2 ACSR 4 ACSR 6A 6 Sol.
 750-175—2 ACSR 4A 2 Sol. 4 Sol.
 750-211—2 ACSR 4A 6A 8A
 750-236—2 ACSR 4A 6A
 750-256—2 ACSR 4 ACSR No. 6-3 Str.
 750-258—2 ACSR 4 Str. 6A
 750-259—2 ACSR 4 ACSR 6 Sol.
 750-263—2 ACSR 4 ACSR No. 6-3 Steel
 750-271—2 ACSR 6A 4 ACSR 4 Sol.
 750-279—2 ACSR 4 ACSR 6 ACSR 6A
 750- 34—1-0 Sol. 1 Sol. 2 Sol. 3 Sol.
 750- 29—1-0 Sol. 1 Sol. 2 Sol. 4 Sol.
 750- 31—1-0 Sol. 2 Sol. 4 Sol. 6 Sol.
 750- 33—1-0 Sol. 6 Str. 8 Str. 10 Str.
 750- 69—1-0 Sol. 2 Sol. 4 Sol. 6 Sol. D.T.
 750- 87—1-0 Sol. 4 ACSR 2 Sol. 4 Sol.
 750- 94—1-0 Sol. 2 Str. 4 Sol. 6 Sol.
 750-108—1-0 Sol. 2 Sol. 6A 4 Sol.
 750-125—1-0 Sol. 1 Sol. 2 Sol. 4 Sol. D.T.
 750-169—1-0 Sol. 1 Sol. 2 Sol.
 750-182—1-0 Sol. 2 Sol. 3 Sol. 6 Sol.
 750-188—1-0 Sol. 1 Str. 2 Sol. 3 Str.
 4 Str. 6 Str.
 750-228—1-0 Sol. 1 Str. 2 Sol. 3 Str.
 4 Sol. 6 Sol.
 750-254—1-0 Sol. 1 Sol. 6A No. 6-3 Str.
 750- 96—1 Str. 4 Sol. 6 Sol. 8 Sol.
 750-142—1 Str. 4 Str. 6A 8A
 750-144—1 Str. 2 Sol. 4 Sol.
 750-177—1 Str. 6A 4 Sol. 6 Sol.
 750-267—1 Str. 6A 4 Sol.
 750-273—1 Str. 1 Sol. 4A 4 Sol. 6A
 750-282—1 Str. 2 Sol. 4 Sol. 6 Sol.
 750-100—No. 2-3 Str. 6A 4 Sol.
 750-174—No. 2-3 Str. 6A 4 Sol. 8A
 750-199—No. 2-3 Str. 4A 6A 8A
 750-197—No. 2-3 Str. 6A 8A 3 No. 12
 750-224—No. 2-3 Str. 4 Sol. 6 Sol.
 750-251—No. 2-3 Str. 4 ACSR 4 Sol.
 6 Sol.
 750-276—No. 2-3 Str. 6A 4 Sol. 8A
 750-116—3A 4A 6A
 750-196—3A 1-0 Sol. 6A 3 Sol. 8A 4 Sol.
 750- 19—19-16 Str. 7-14 Str. 7-16 Str.
 7-18 Str.

750-237—4 S.C.G. 8X S.C.G. 6 S.C.G.
 12 S.C.G.
 750-257—4 S.C.G. 6 S.C.G. 12 S.C.G.
 750- 43—1 Sol. 2 Sol. 3 Sol. 4 Sol.
 750- 39—1 Sol. 2 Sol. 4 Sol. 5 Sol.
 750- 45—1 Sol. 3 Sol. 4 Sol.
 750- 46—1 Sol. 3 Sol. 5 Sol.
 750-133—1 Sol. 2 Sol. 4 Sol. 6 Sol. D.T.
 750-165—1 Sol. No. 631 Calsun Br. Cu.
 8A
 750-249—1 Sol. D.T. 6A 8A
 750- 13—2 Str. 2 Sol. 4 Str. 4 Sol.
 750- 28—2 Str. 4 ACSR 3 Str. 6 Sol.
 750- 62—2 Str. 4 Str. 4 Sol. 6 Sol.
 750- 47—2 Str. 4 Str. 6 Str. 8 Sol.
 750- 9—2 Str. 4 Sol. 6 Sol.
 750- 76—2 Str. 6A 4 Sol.
 750- 77—2 Str. 2 Str. 4 Sol. 6 Sol.
 750-135—2 Str. 4 Str. 6 Str.
 750-156—2 Str. 4A 6A 8A
 750-189—2 Str. 4 Str.
 750-198—2 Str. 6A 4 Sol. 6 Sol.
 750-201—2 Str. 4 Str. 6 Sol. 8 Sol.
 750-233—2 Str. 4 Str. 6 Sol.
 750-253—3 No. 8 Amerductor
 8X Amerductor
 750- 58—4 ACSR 2 Sol. 4 Sol. 6 Sol.
 750- 50—4 ACSR 2 Sol. 6 Sol.
 750- 37—4 ACSR 2 Str. 4 Sol.
 750- 73—4 ACSR 6 ACSR 4 Sol. 6 Sol.
 750-106—4 ACSR 4A 6A
 750-112—4 ACSR 6A 6 Sol. 8 Sol.
 750-141—4 ACSR 6A 4 Sol. 8A
 750-161—4 ACSR 6A 4 Sol. 6 Sol.
 750-202—4 ACSR 8X 12 S.C.G.
 750-205—4 ACSR 6A 8A 3 No. 13
 750-216—4 ACSR 6A 8A 9 1/2 D
 750-220—4 ACSR 6 S.C.G. 8A 12 S.C.G.
 750-241—4 ACSR 6A 6-3 Str. 6 Sol.
 750-248—4 ACSR 6A 8A
 750-232—4 ACSR 6A 8A 6 Sol.
 750-266—4 ACSR 8 S.C.G. Amerductor
 750- 44—4 No. 4-3 Str. 6A No. 6-3 Str.
 750- 23—4A 3 No. 8 6-A 4 Sol.
 750- 63—4A 2 Sol. 6A 4 Sol.
 750- 35—4A 6A 7A 8A 2 No. 10
 750- 20—4A 6A 4 Sol. 8 Sol.
 750- 38—4A 6A 7A 5 Sol.
 750- 78—4A 6A 4 Sol. 6 Sol.
 750- 89—4A 6A 8A 6 Sol.
 750-110—4A 6A 4 Sol. 8A
 750-126—4A 6A 8A 4 Sol. 6 Sol.
 750-128—4A 4 Sol. 6 Str.
 750-131—4A 6A 8A 3 No. 12
 750-159—4A 6A 8A 8 Sol.
 750-166—4A 6A 7A 8A 3 No. 12 8 C
 9 1/2 D
 750-191—4A 6A 7A 8A 3 No. 12
 750-213—4A 6 S.C.G. 6A 8A
 750-214—4A 6A 8A
 750-252—4A 6A 6 Sol. 8 Sol.
 750-139—7-14 ACSR 7-15 ACSR 7 16 8
 Sol. S.W.G.
 750-172—S.C.G. Sleeves
 750- 59—2 Sol. 6A 4 Sol. 6 Sol.
 750- 17—2 Sol. 4 Sol. 6 Sol. 8 Sol.
 750-152—2 Sol. 6A 4 Sol. 6 Str.
 750- 36—3 Sol. 8 Sol.
 750-272—3 No. 10 6A
 750-119—6A 8A 4 Sol. 6 Sol.
 750-120—6A 8A 6 Sol. 8 Sol.
 750-123—6A 8A 3 No. 12
 750-124—6A 4 Sol. 6 Sol. 6 Cu. Wire
 750-127—6A 8A 4 Sol. 3 No. 12
 750-132—6A 8A 4 Sol. D.T.
 750-143—6A 6A 8A 8A
 750-150—6A 8A 4 Sol.
 750-167—6A 4 Sol. 9 1/2 D 6 Sol.
 750-179—6A 4 Sol. 8A 9 1/2 D
 750-183—6A 8A 3 No. 12 6 Sol.
 750-200—6A 6 Str. 9 1/2 D 6 Sol.
 750-203—6A 8A 9 1/2 D 6 Sol.
 750-227—6A 8A 9 1/2 D
 750-217—6A 8A 9 1/2 D 3 No. 13
 750- 67—No. 7 Steel
 750-261—No. 6 ACSR 6 Sol. 8 Sol. 9 Sol.
 750-212—6 S.C.G. 8X 12 S.C.G.
 Amerductor
 750-255—6 S.C.G. 6A
 750-265—6 S.C.G. 8 S.C.G. 12 S.C.G.
 Amerductor
 750-242—6 Sol. Crapo Steel
 750-243—No. 6-3 Wire Steel
 750-247—No. 6-3 Steel 6A 8A
 750-260—No. 6-3 Am. 6A 8A 3 No. 12
 750- 52—4 Sol. 8A 6 Sol.
 750- 48—4 Sol. 6 Sol. 8 Sol. 10 Sol. 12 Sol.
 750-238—4 Sol. 6 Sol.
 750-268—4 Alum. 6 ACSR 8 ACSR
 6 Alum.
 750- 40—8A
 750-138—7-14 7-16 8 Sol. 7-18 S.W.G.
 750-140—8 Sol. 10 Sol. S.W.G.
 750-157—4 Str. 6 Str. 6 Sol.
 750-219—8X 6 S.C.G. 12 S.C.G.
 750-262—No. 120 Memco Sleeve
 750-278—8X 10 S.C.G. 4 Sol. 6 Sol.

*These numbers in stock
 All others made to order.

For Use With Single or Double Tube Sleeves

MISCELLANEOUS TOOLS



INSULATED CRESTOLOY WRENCHES

12 INCH WITH SPECIAL 1½ IN. CAPACITY

Heavy Tenite insulation which repeated tests have shown to have a very high dielectric strength, as well as great toughness which enables it to stand up under a surprising amount of rough treatment without chipping or cracking.


These wrenches also have greater capacity than the regular, non-insulated type. Their maximum opening of 1½ inches enables them to handle 4/0 taps. Ideal tools for linemen. More than ample strength for all requirements with the toughness and long life which is the distinguishing characteristic of Crestoloy wrenches.

Finish: Chromium plated. Transparent blue Tenite insulation moulded on handle.

Number	Size	Capacity	Weight, Packed
AC112-INS.	12"	1½"	1 lb. 12 oz.

Packed—One in a box.

CRESTOLOY KIT




Red plastic folding case with one each AC16, AC18 and AC110 wrenches in separate pockets. Snap fastener. Size,

closed, 11 x 3¾ inches. Kit strongly stitched and edges bound. A neat, compact kit for mechanic, motorist, farmer, etc.

Packed—One in a box.

Shipping weight—26 oz.

TK31 TOOL KIT



Plenty of prospects for this handy kit. Useful alike to the home owner, housewife, handy man, boat owner or motorist as well as professional mechanics in many fields.

Case of red vinylite with transparent pockets of the same material. Snap fastener holds the case closed when not in use. Kit is strongly stitched and bound with leatherette. Tools included are:

L26	— 6" Thin Nose Slip Joint Plier
AC18	— 8" Crestoloy Wrench
K1304	— 4" Tenite Handle Screwdriver

Packed—One in a box.

Weight—1 lb. 7 oz.



CRESCENT STAPLE PULLER

A tool for linemen's use. It is designed to remove the staples by means of which round wire shields are held against poles. These staples can be removed without damage to either shield or staple so that they can be reused.

Forged steel jaws, cadmium plated to resist rust. Rubber grip on handle. Ring at top so that tool can be hung up when not in use.

Finish: Cadmium plate.

Number	Size	Weight, Each
15	20"	3¾ lbs.

Packed—In bulk.



CRESCENT SCRATCH AWLS — WOOD HANDLE

An ideal tool for scribing on hard surfaces. Also useful as a hand punch. Easily resharpened.

Made of fine tool steel. Ferrule turned from solid bar of steel and forced onto blade under pressure. Rod extends through handle. Blade drawn out to sharp point.

Finish: Natural finish, hard maple handle, polished blade and ferrule.

Number	Overall Length	Blade Length	Blade Diameter	Shipping Weight
73	6⅝"	3⅞"	¼"	3-5/12 oz.

Packed—Six in a box.



CRESCENT SCRATCH AWLS — TENITE HANDLE

Fine steel point, tough Tenite handle that will give excellent performance over a long period of time. Blade hardened full length and can be repeatedly sharpened.

Finish: Polished blade. Blue Tenite handle.

Number	Overall Length	Blade Length	Blade Diameter	Shipping Weight
74	6"	4"	¼"	2 oz.

Packed—Six in a box.

THE CRESCENT DISPLAY STORY

FAST SELLING ITEMS. There isn't a tool on any of these Crescent Displays that our sales records have not shown to be a good seller.

CONVENIENCE. After you look over the Crescent Displays shown on the next pages you will discover how easy it is to use them, how versatile they are in their ability to be used in different ways. On the wall, on perforated board, on the counter, on display tables, in windows, on the various fixtures available from us, on dealer's own fixtures.

THEY'LL SELL TOOLS. The bright colors of the panels, plus the attractive finishes of the tools cannot help but attract attention. Prospective buyers can readily see and handle items in which they are interested.

WIDE SELECTION. The Crescent Display Program is not a "take it or leave it" proposition. It is big enough so that there are displays that will appeal to the small dealer and the large one, as well as any size store in between.

MINIMUM OF INVESTMENT. Every panel in the whole series comes to the dealer for only the cost of the tools that are mounted on it. The various fixtures on which the panels can be mounted are priced far below their actual cost.

SPECIAL DISPLAYS. Here and there will be found circumstances where a display of a special nature is needed. For such situations, Crescent will make up a special panel or panels to suit the particular conditions involved.

The following pages tell the story — the Crescent Display Story — that has already resulted in increased tool sales for those dealers who have availed themselves of the opportunity to put some of these panels to work in their stores.

**POINT OF
PURCHASE**

THESE COLORFUL DISPLAYS—all bright yellow, with maroon trim—are made up with several different assortments of CRESCENT and CRESTOLOY TOOLS. The layout pattern for each display is silk screened right on the panel, with tool numbers and spaces in which to mark retail prices. Special hooks for some items, and newly developed mounting fixtures for others make set-up easy. Any of these displays may be mounted on the wall or on special fixtures which are available at small cost.

Display your CRESCENT TOOLS. They'll please your customers—and the increased sales will please you.

DISPLAYS to encourage "Impulse Buying"



**No. DB 121
CRESCENT WRENCH
DISPLAY**

The CRESCENT WRENCH—famed all over the world and requested by name everywhere. Increased sales result wherever this panel is displayed. Finished in bright yellow with maroon trim. Tools mounted on hooks. Spaces provided for price marking. Panel size 12" x 24" x 3/4".

Assortment contains:

3 A14—4"	6 A110—10"
6 A16—6"	3 A112—12"
6 A18—8"	

Panel and tools sold at cost of tools only. Packed as a unit in a sturdy carton, weight 27 lbs.



**No. DB 122
CRESTOLOY WRENCH
DISPLAY**

Show these—the fastest selling items in the CRESTOLOY WRENCH line. Wrenches mounted on hooks on a 12" x 24" x 3/4" plywood panel. Bright yellow with maroon trim not only attracts attention, but displays the tools to best advantage.

Assortment contains:

3 AC14—4"	6 AC110—10"
6 AC16—6"	3 AC112—12"
6 AC18—8"	

Complete assortment and panel packed in sturdy shipping carton and sold at the cost of the tools alone. Shipping weight 22 lbs.



**No. DB 123
CRESCENT AND CRESTOLOY
WRENCH DISPLAY**

Made up with the requirements of the average hardware store in mind, this panel displays both CRESCENT and CRESTOLOY Wrenches. Fastest selling sizes in both lines are included. Bright yellow with maroon trim. Wrenches mounted on hooks and space for pricing provided.

Panel size 12" x 24" x 3/4".

Assortment contains:


CRESCENT	CRESTOLOY
2 A14—4"	2 AC14—4"
3 A16—6"	3 AC16—6"
3 A18—8"	3 AC18—8"
3 A110—10"	3 AC110—10"
2 A112—12"	2 AC112—12"

Sold at the cost of the tools alone. Packed as a complete unit in carton, weight 26 1/2 lbs.

**GOOD LOOKING —
and PACKED WITH SELLING PUNCH**

CRESCENT TOOLS
Five Wings to Work

CRESCENT DISPLAYS — The most versatile displays available



No. DB 124

SLIP JOINT PLIER DISPLAY

A must in every hardware store. CRESCENT'S fastest selling Slip Joints, including the popular CeeTeeCo in all sizes. Pliers mounted on special fixtures just developed (patent applied for) by Crescent Tool Co. Mounting instructions included in carton. Sold at the cost of the tools alone.

Assortment contains:

- 3 H25—5" CeeTeeCo
- 6 H26—6" CeeTeeCo
- 3 H28—8" CeeTeeCo
- 3 H210—10" CeeTeeCo
- 3 L25—5" Thin Nose
- 6 L26—6" Thin Nose

Panel and tools packed in a sturdy carton, shipping weight 19½ lbs.
Panel size 12" x 24" x ¾".




No. DB 127

DISPLAY OF CRESCENT SNIPS

Assortment contains:

- 3 S47 — 7" Standard Style
- 3 S410—10" Standard Style
- 3 S412—12" Standard Style
- 3 T47 — 7" Circular Cutting
- 3 T412—12" Circular Cutting

Display and above tools in carton weigh 24 lbs.



No. DB 125

FIXED JOINT PLIER DISPLAY

Assortment contains:

DIAGONALS—

- 3 542—7" 1 942—5" 2 942—6"


LINEMEN'S PLIERS—

- 1 50 —6" 1 1950—7"
- 1 1950—6" 1 50 —8"
- 1 50 —7" 1 1950—8"

MISCELLANEOUS—

- 2 654 —6" 1 654 —7"
- 2 777 —6" 1 777 —7"
- 2 1033—6" 1 1033—7"
- 1 72 —6" 2 72 —7"

Packed in carton, weight 19 lbs.



No. DB 128


DISPLAY OF SCREWDRIVERS

Crescent's new Tenite handled screwdrivers on a 12" x 24" panel that sells them.

Assortment contains:

- 3 K1303 —3" Standard
- 3 K1304 —4" Standard
- 3 K1306 —6" Standard
- 3 K1604 —4" Square Rod
- 3 K1701 —No. 1 Phillips
- 3 K1702 —No. 2 Phillips
- 3 K1503½ —3½" Cabinet
- 3 K1504½ —4½" Cabinet
- 3 K1506½ —6½" Cabinet
- 3 K11025 —Standard Stubby
- 3 K17025 —Phillips Stubby

Display and tools in shipping carton, wt. 14 lb.




No. DB 126

MISCELLANEOUS PLIER DISPLAY

Assortment contains:

- 1 50 —6" 1 50 —7" 1 50 —8"
- 1 622 —5" 1 21 —6" 1 20 —5"
- 1 942 —6" 1 777 —6" 1 654 —6"
- 2 542 —7" 1 72 —7" 1 23 —7"
- 1 1033—6" 1 22 —5" 2 G28 —8"
- 1 G25 —5" 1 D27 —7" 1 LS26—6"
- 1 J26 —6" 3 G26 —6"

Tools and panel packed as a unit in sturdy carton. Shipping weight 18 lbs.



No. DB 129

PUNCH AND CHISEL DISPLAY

Assortment contains:

- PUNCHES**
- 2 #95 —3/16"
- 2 #95 —1/4"
- 2 #486—5/16"
- 2 #486—3/8"
- 2 #487—5/16"
- 2 #487—3/8"
- 2 #488—1/8"
- 2 #488—3/16"
- 2 #489—3/16"
- 2 #489—1/4"
- 2 #490—3/16"
- 2 #490—1/4"
- CHISELS**
- 2 #160—1/2"
- 2 #160—3/8"
- 2 #160—3/4"
- 2 #164—1/4"
- 2 #164—3/8"
- 2 #165—1/4"
- 2 #165—3/8"
- 2 #175—3/4"
- 2 #175—1"
- 2 #175—1 1/4"

One in a carton. Weight 28 lbs.

CRESCENT TOOLS
Give Wings to Work



No. DB1210 DISPLAY OF CRESCENT HACKSAWS

This panel features the two most popular pistol grip Hacksaw Frames in the Crescent line. Sturdy, well balanced tools that will give a lifetime of service.

Assortment contains:

- 3 1047 Adjustable all steel Hacksaws
- 3 1049 Neoprene handled Hacksaws

Display and above tools in carton, shipping weight, 18 pounds.




No. DB1211 DISPLAY OF COMPOUND ACTION SNIPS

One of the newest additions to the Crescent line, these snips lend themselves nicely to display arrangement as shown. You can learn all the particulars about them on page twenty-nine.

The panel is 12" x 24" x 3/4", colored yellow with maroon trim and contains:

- | | |
|--------|-------------------|
| 2 V19L | 1 V19L with grips |
| 2 V19R | 1 V19R with grips |
| 2 V19S | 1 V19S with grips |

Panel and tools packed as a unit in shipping carton, weight 15 pounds.




DB 1212 OPEN END WRENCHES

A 12" x 24" x 3/4" panel. Yellow with maroon trim. The wrenches listed below are mounted on hooks.

- 4 No. C1020 —1/4" —5/16"
- 4 No. C1721 —5/16" —3/8"
- 4 No. C1723 —3/8" —7/16"
- 4 No. C1725 —7/16" —1/2"
- 4 No. C1725-B —1/2" —9/16"
- 3 No. C1727 —9/16" —5/8"
- 3 No. C1729 —5/8" —3/4"
- 3 No. C1731-A —3/4" —7/8"
- 3 No. C1731-B —13/16" —7/8"
- 2 No. C1033-C —15/16" —1"
- 2 No. C1034 —7/8" —1-1/16"

Packed complete in carton.
Shipping weight 18 lbs.




DB 1213 COMBINATION WRENCHES

Also yellow and maroon to match the others. 12" x 24" x 3/4". Wrenches as listed below are mounted on hooks.

- 3 C1160 — 3/8" Cap.
- 3 C1161 — 7/16" Cap.
- 3 C1162 — 1/2" Cap.
- 3 C1163 — 9/16" Cap.
- 3 C1164 — 5/8" Cap.
- 3 C1165 —11/16" Cap.
- 3 C1166 — 3/4" Cap.
- 3 C1167-A —13/16" Cap.
- 2 C1167 — 7/8" Cap.
- 2 C1168 —15/16" Cap.
- 2 C1170 —1" Cap.
- 2 C1171 —1-1/16" Cap.

Shipping weight 23 lbs.




DB 1214 12 PT. BOX WRENCHES

Any of these panels can be mounted on a CD counter display fixture or FS floor display stand. Wrenches as listed, on hooks.

- 6 C8723 —3/8" — 7/16"
- 6 C8725 —7/16" — 1/2"
- 6 C8725-B —1/2" — 9/16"
- 3 C8727 —9/16" — 5/8"
- 3 C8729 —5/8" — 3/4"
- 2 C8731-A —3/4" — 7/8"
- 2 C8731-B —13/16" — 7/8"
- 2 C8033-C —15/16" —1"
- 2 C8034 —7/8" —1-1/16"

Packed complete in carton.
Shipping weight 21 lbs.



DB 1215 MISCELLANEOUS WRENCHES


This panel matches the others and contains the fastest sellers of all three types. Mounted on hooks as follows:

- 3 C1723 3/8" —7/16" open end
- 3 C1725-B 1/2" —9/16" open end
- 3 C1729 5/8" —3/4" open end
- 3 C1731-B 13/16"—7/8" open end
- 3 C1033-C 15/16"—1" open end
- 3 C1161 7/16" combination
- 3 C1162 1/2" combination
- 3 C1163 9/16" combination
- 3 C1164 5/8" combination
- 3 C1165 11/16" combination
- 3 C1166 3/4" combination
- 3 C1167-A 13/16" combination
- 3 C8723 3/8"—7/16" 12 pt. box
- 3 C8725-B 1/2"—9/16" 12 pt. box
- 3 C8729 5/8"—3/4" 12 pt. box

Shipping weight 22 lbs.

There is no tool on any CRESCENT Display that has not proven itself to be a fast selling item according to sales records.

CRESCENT TOOLS
Give Wings to Work



No. DB1216

1/2" DRIVE SOCKET WRENCH DISPLAY

12 POINT (DOUBLE HEX) SOCKETS:

2 CS1212—3/8"	4 CS1224—3/4"
2 CS1214—7/16"	2 CS1226—13/16"
4 CS1216—1/2"	2 CS1228—7/8"
4 CS1218—9/16"	2 CS1230—15/16"
2 CS1219—19/32"	2 CS1232—1"
2 CS1220—5/8"	2 CS1234—1-1/16"
2 CS1222—11/16"	1 CS1236—1-1/8"
	1 CS1240—1-1/4"


8 POINT (DOUBLE SQUARE) SOCKETS:

2 CS814—7/16"	2 CS820—3/8"
2 CS816—1/2"	2 CS824—3/4"
2 CS818—9/16"	

ATTACHMENTS:

- 1 CS11—Universal Joint
- 1 CS12—5" Extension
- 1 CS13—10" Extension
- 1 CS14—Slide T Handle
- 1 CS16—16" Speeder Handle
- 1 CS18—Flex Head Handle
- 1 CS70—10 1/4" Reversible Ratchet

Packed complete, panel and tools in a shipping carton, weight 22 3/4 lbs.



No. DB1217

3/8" DRIVE SOCKET WRENCH DISPLAY

This display contains the following:

3 CT1212	3/8"	12 Point Regular Sockets
3 CT1214	7/16"	12 Point Regular Sockets
3 CT1216	1/2"	12 Point Regular Sockets
3 CT1218	9/16"	12 Point Regular Sockets
3 CT1220	5/8"	12 Point Regular Sockets
3 CT1222	11/16"	12 Point Regular Sockets
3 CT1224	3/4"	12 Point Regular Sockets
1 CTF1212	3/8"	12 Point Flex Socket
1 CTF1214	7/16"	12 Point Flex Socket
1 CTF1216	1/2"	12 Point Flex Socket
1 CTF1218	9/16"	12 Point Flex Socket
1 CTF1220	5/8"	12 Point Flex Socket
1 CTF1222	11/16"	12 Point Flex Socket
1 CTF1224	3/4"	12 Point Flex Socket
1 CTD1212	3/8"	12 Point Deep Socket
1 CTD1214	7/16"	12 Point Deep Socket
1 CTD1216	1/2"	12 Point Deep Socket
1 CTD1218	9/16"	12 Point Deep Socket
1 CTD1220	5/8"	12 Point Deep Socket
1 CTD1222	11/16"	12 Point Deep Socket
1 CTD1224	3/4"	12 Point Deep Socket
1 CTD1226	13/16"	12 Point Deep Socket
1 CT11		Universal Joint for 3/8" Square Drive
1 CT12		5" Extension for 3/8" Square Drive
1 CT13		12" Extension for 3/8" Square Drive
1 CT15		Speeder Handle for 3/8" Square Drive
1 CT17		Flex Handle for 3/8" Square Drive
1 CT22		3" Extension for 3/8" Square Drive
1 CT70		Reversible Ratchet for 3/8" Square Drive

Shipping weight 14 3/4 lbs.



No. DB1218

HEAVY DUTY PLIER DISPLAY


This display includes those items that are especially useful in rural areas—where there are wire fences to maintain, and a lot of heavy work to be done.

The new "Crestogrip" Utility Plier number P210 is at the top. It has many practical uses because of its strong grip (like that of a pipe wrench) and its new type box joint.

Contents of display:

- 3 P210—10" Utility Pliers
- 3 1936—10" Fence Tools
- 2 282—10" Carpenters' Pincers
- 2 1000—10" Cutting and Gripping Pliers
- 2 1907—10" Fence Tools

Shipping weight 24 pounds.



No. DB1219

3/4" DRIVE SOCKET WRENCH DISPLAY

These 3/4" Square Drive items in the Crescent Line have all the rugged, husky strength needed to do repair and maintenance work on heavy equipment such as trucks, buses, road building and earth moving machinery.

The DB1219 Display contains one each of the following:

- CH11—Slide T Handle
- CH12—8" Extension
- CH13—16" Extension
- CH18—21" Flex Handle
- CH70—Reversible Ratchet
- CH1240—1 1/4" 12 Point Socket
- CH1242—1-5/16" 12 Point Socket
- CH1244—1-3/8" 12 Point Socket
- CH1246—1-7/16" 12 Point Socket
- CH1248—1-1/2" 12 Point Socket
- CH1250—1-9/16" 12 Point Socket
- CH1252—1-5/8" 12 Point Socket
- CH1254—1-11/16" 12 Point Socket
- CH1256—1-3/4" 12 Point Socket
- CH1258—1-13/16" 12 Point Socket
- CH1260—1-7/8" 12 Point Socket
- CH1264—2" 12 Point Socket

Packed complete, tools and panel in shipping carton, weight 34 1/2 pounds.

No. DB1220

UTILITY SLIP JOINT PLIER DISPLAY

This display features the Crescent P210 "Crestogrip" Utility Plier, with its specially designed four position sliding box joint and its exceptional grip, like that of a pipe wrench.


This panel, of course matches all the others in the DB1200 series and can be used on the CD counter display and FS floor display units.

Contents:

- 3 P210 "Crestogrip" Utility Pliers
- 3 H25 5" CeeTeeCo Slip Joint Pliers
- 3 H26 6" CeeTeeCo Slip Joint Pliers
- 3 H28 8" CeeTeeCo Slip Joint Pliers
- 3 H210 10" CeeTeeCo Slip Joint Pliers
- 3 L25 5" Thin Nose Slip Joint Pliers
- 3 L26 6" Thin Nose Slip Joint Pliers

Packed complete, pliers and panel in shipping carton, weight 19 lbs.





No. DB1221

**HEAVY DUTY PIPE WRENCH
DISPLAY**

Crescent's Heavy Duty Pipe Wrenches are the strongest tools of their type available. This display shows the most popular sizes, as follows:

- | | | | |
|---|-------|-------------------------|------------------------------|
| 2 | WH48 | — 8" — $\frac{1}{8}$ " | to 1" Capacity |
| 2 | WH410 | — 10" — $\frac{1}{8}$ " | to $1\frac{1}{2}$ " Capacity |
| 2 | WH412 | — 12" — $\frac{1}{8}$ " | to 2" Capacity |
| 2 | WH414 | — 14" — $\frac{1}{8}$ " | to 2" Capacity |
| 1 | WH418 | — 18" — $\frac{1}{4}$ " | to $2\frac{1}{2}$ " Capacity |
- Shipping weight, 34 lbs.

No. DB1222

STILLSON WRENCH DISPLAY

This 12" x 24" x $\frac{3}{4}$ " panel has the following Crescent Normal Duty, Stillson Pattern Wrenches mounted on hooks:

- | | | | |
|---|-------|-------------------------|------------------------------|
| 2 | WS16 | — 6" — $\frac{1}{8}$ " | to $\frac{1}{2}$ " Capacity |
| 2 | WS18 | — 8" — $\frac{1}{8}$ " | to $\frac{3}{4}$ " Capacity |
| 2 | WS110 | — 10" — $\frac{1}{8}$ " | to 1" Capacity |
| 2 | WS114 | — 14" — $\frac{1}{4}$ " | to $1\frac{1}{2}$ " Capacity |
| 1 | WS118 | — 18" — $\frac{1}{4}$ " | to 2" Capacity |
- Shipping weight, 24 lbs.



ALL BEST SELLERS

In Crescent's Display Program, no attempt has been made to load any panel with unsaleable items. Each tool on any display has been selected because it is a fast mover, based on Crescent sales records. New items, such as the pipe wrenches above, are displayed in sizes most in demand throughout the industry.

MOUNTING FIXTURES — COUNTER TYPE



FIXTURE No. CD1

This fixture is designed to handle any four of the 12" x 24" merchandising displays shown in this catalog. It may be used on counter or display table, and in either place, it provides a square foot of constant selling that means real profit to any dealer.

Made of plywood, finished maroon. Mounted on ball bearing so it revolves freely, enabling shoppers to view all four sides. Base is 12" in diameter and upper part revolves around a pipe which is firmly attached to the base.

Placed properly in a store, this unit can give more turnover, more profit than any other square foot of space in the building.

Available with any four 12" x 24" CRESCENT displays at slight extra charge.

Packed in carton, shipping weight 15 lbs.



COUNTER DISPLAY No. CD2

CD2—a counter display with revolving top which will take any six of the twenty-two 12" x 24" displays shown on preceding pages. Ball bearing under top makes it turn easily so that all sides can be displayed with equal ease.


Heavy plywood construction, painted to match other items. One panel may be hinged to allow stock to be placed inside.

This unit, too, is available at a slight extra charge and will prove itself to be a very valuable addition to any hardware store's tool department.


Weight without displays, 19 pounds. Shipped in two parts, complete with assembly instructions.

CRESCENT TOOLS
Give Wings to Work®

MOUNTING FIXTURES—FLOOR TYPE



**FLOOR
STAND
FS2**



**FLOOR
STAND
FS3**

FS2—a floor standard with revolving top which will take any six of the twenty-two 12" x 24" displays shown on preceding pages. Ball bearing under top makes it turn easily so that all sides can be displayed with equal ease. Weight without displays, 90 pounds. Shipped in two parts.

ADDED FEATURE

If wanted, the DB124 Slip Joint Plier panel can be supplied with hinges and knob. This provides storage space inside the display unit on either FS2 or FS3. No extra charge but it is necessary to specify on the order that hinges are required.

FS3—also revolves on a ball bearing so that all panels can be easily viewed by shoppers.

This stand will hold any twelve of the twenty-two available 12" x 24" panels shown on the preceding pages. The complete unit occupies only 26 square inches of floor space, making it one of the most compact methods of displaying tools that it is possible to obtain.

FS3—a complete tool department in itself.

Shipped in two parts; one crate and one carton. Shipping weight 79 pounds.

DOUBLE SIZE DISPLAY PANELS



CRESCENT WRENCH DISPLAY

DB241

Mounted with the following Crescent "A" style wrenches on a 24" x 24" panel:

4 A14	8 A110
6 A16	4 A112
8 A18	1 A115

Shipping Weight: 41 pounds

**24 x 24
INCH
DISPLAYS
—
YELLOW
AND
MAROON**




CRESTOLOY WRENCH DISPLAY

DB242

Mounted with the following Crestoloy "AC" style wrenches on a 24" x 24" panel:

4 AC14	4 AC112
6 AC16	1 AC115
8 AC18	2 BC146
8 AC110	2 BC168

Shipping Weight: 42 pounds



"A" and "AC" WRENCH DISPLAY


DB243

Mounted with the following Crescent and Crestoloy Wrenches on a 24" x 24" panel:

3 AC14	4" Crestoloy	2 BC146	4-6" Dble. End
3 AC16	6" Crestoloy	2 BC168	6-8" Dble. End
3 AC18	8" Crestoloy	3 A14	4" Crescent
3 AC110	10" Crestoloy	3 A16	6" Crescent
3 AC112	12" Crestoloy	3 A18	8" Crescent
2 AC115	15" Crestoloy	3 A110	10" Crescent
		3 A112	12" Crescent

Shipping Weight: 46 pounds

**ONLY
CRESCENT'S
FASTEST
SELLING
TOOLS
IN
THESE
ASSORT-
MENTS**



CRESCENT, CRESTOLOY PLIERS

DB246

Mounted with the following Crescent and Crestoloy Pliers on a 24" x 24" panel:

3 LS26	6"	1 942	5"	1 1950	6"
3 H25	5"	2 942	6"	1 1950	7"
3 H26	6"	2 654	6"	1 1950	8"
3 H28	8"	1 654	7"	1 72	6"
3 H210	10"	2 777	6"	2 72	7"
3 L25	5"	1 777	7"	2 1033	6"
3 L26	6"	1 50	6"	1 1033	7"
3 542	7"	1 50	7"	3 G26	6"
		1 50	8"		

Shipping Weight: 38 pounds

DOUBLE SIZE DISPLAY PANELS



CRESCENT SNIP DISPLAY

DB247

Mounted with the following Crescent Snips on a 24" x 24" panel:

3 S47	7" Standard	3 T47	7" Circular
3 S49	9" Standard	2 T412	12" Circular
3 S410	10" Standard	2 U412	12" Combination
3 S411	11" Standard	2 U416	16" Heavy Duty "Bull Dog"
3 S412	12" Standard		

Shipping Weight: 45 pounds

**USE THESE
SINGLY—
IN PAIRS
OR ON
FIXTURE**

(See Page 54)



CRESCENT SCREWDRIVER DISPLAY

DB248

Mounted with the following Crescent Tenite Handle Screwdrivers on a 24" x 24" panel:

3 K1102S	Stubby	3 K1503 1/2	3 1/2" Electrician's
3 K1702S	Phillips Stubby	3 K1504 1/2	4 1/2" Electrician's
3 K1303	3" Standard	3 K1506 1/2	6 1/2" Electrician's
6 K1304	4" Standard	3 K1508 1/2	8 1/2" Electrician's
3 K1306	6" Standard	3 K1701	No. 1 Phillips
3 K1308	8" Standard	3 K1702	No. 2 Phillips
3 K1310	10" Standard	3 K1604	4" Square Rod
		3 K1606	6" Square Rod

Shipping Weight: 28 pounds



CRESCENT PUNCH, CHISEL AND STAR DRILL DISPLAY

DB249

Crescent Chisels, Punches, Star Drills on a 24" x 24" panel:

CHISELS				STAR DRILLS			
2 175 3/4"	2 160 5/8"	2 167 1/2"	2 165 5/16"	2 161 1/4" x 12"			
2 175 1"	2 160 3/4"	2 166 1/4"	2 165 3/8"	2 161 3/8" x 12"			
2 175 1 1/4"	2 160 7/8"	2 166 5/16"	2 164 1/4"	2 161 1/2" x 12"			
2 160 1/4"	2 160 1"	2 166 3/8"	2 164 5/16"	2 161 5/8" x 12"			
2 160 3/8"	2 167 1/4"	2 165 1/4"	2 164 3/8"	2 161 3/4" x 12"			
2 160 1/2"	2 167 3/8"						

PUNCHES							
2 487 5/16"	2 490 1/8"	2 489 1/4"	2 486 1/4"				
2 487 3/8"	2 490 3/16"	2 488 1/8"	2 486 5/16"				
2 95 3/16"	2 490 1/4"	2 488 5/32"	2 486 3/8"				
2 95 1/4"	2 489 1/8"	2 488 3/16"	2 486 1/2"				
2 95 3/8"	2 489 3/16"	2 488 1/4"					

Shipping Weight: 57 pounds

**RESULT—
INCREASED
TOOL
SALES,
PLEASED
CUSTOMERS**



CRESCENT HACKSAW DISPLAY

DB2410

Mounted with the following Crescent Hacksaws on a 24" x 24" panel:

3 1046	Adjustable-Steel Handle
3 1047	Adjustable-Steel Handle
3 1049	Adjustable-Neoprene Handle
3 1044N	12" Solid-Neoprene Handle

Shipping Weight: 35 pounds

Display and sell CRESCENT for customer satisfaction

COMBINATION DISPLAY OF CRESCENT REGULAR PATTERN AND AVIATION SNIPS

DB2411



A yellow and maroon 24'' x 24'' x 3/4'' panel, matching the other eight displays in the DB2400 series. This display features Crescent's new Aviation Snips and includes a few of the best selling sizes in the regular snip line.

Mounted on hooks are the following tools:

2 V19L	2 S47
2 V19R	2 S410
2 V19S	2 S411
1 V19L with grips	2 S412
1 V19R with grips	2 T47
1 V19S with grips	2 T412
	2 U412

Packed complete, panel and snips, in carton. Shipping weight 39 lbs.

CRESCENT FLOOR DISPLAY FS1



Shipping weight
of FS1 only—
no panels or tools,
75 pounds.

A complete, self contained tool department. Occupies but little floor space and sells tools faster than a dozen clerks. Nothing on it but the fastest moving items in the Crescent line. Colorful, eye-catching, sturdily built. Upper part revolves on ball bearing. Tools mounted on hooks or special brackets. Space provided near each tool for pricing. FS1 contains any six of the eight 24'' x 24'' panels and tool assortments listed on the preceding pages.

EASELS FOR DISPLAYS

These new easels enable dealers to use their Crescent Displays in additional places. (Will fit either 12'' x 24'' or 24'' x 24'' size).

On a counter, in the window, on display tables . . . anywhere there is a space six by twelve inches in size.

They are made for handling the displays either singly or doubly, as shown.


These new mounts are supplied to dealers no charge, and may be ordered from the factory.

Twenty Crescent Displays are now available, offering a complete line of fast selling tools that repay over and over again, the value of the space they occupy. There are no slow moving items on Crescent Displays.

SINGLE AND DOUBLE EASELS FOR CRESCENT DISPLAY BOARDS

Single Mounts are rabbeted to support board at a slight angle to compensate for weight of tools.

Double Mounts admit two boards and support them vertically. Attaching screws are supplied with Mounts.



CRESCENT TOOLS
Give Wings to Work

CRESCENT SPECIAL DISPLAYS


TO MATCH STORE FIXTURES

For several years, the CRESCENT TOOL COMPANY has specialized in making display panels to order. They have been built in all shapes and sizes and have been finished in a wide range of colors to match store fixtures.

The addition to the line of the merchandising displays shown on preceding pages has by no means superseded these special displays. There are still many stores, as well as jobbers' show rooms, where special displays are just what is needed. We have made them to fit in show windows, to be mounted around pillars, to serve as a background for a tool department and many other applications. They can be used to supplement the merchandising displays.

The only cost of these special displays is the cost of the tools themselves. In ordering, all we need to know is the size of the panel, how it is to be mounted, the tools to be shown and the color arrangement it is to match.

Write to the factory for complete information.



SALES HELPS FOR DEALERS

Of course, the very best "Sales Helps" are the merchandising displays shown on preceding pages. However, any or all of the following will be found effective in helping draw customers.

WINDOW CARDS: Crescent has a new series of colorful cards on which almost any tool in the line may be effectively displayed.

CUTS, MATS: Small electrotypes of all items and one column newspaper mats advertising the principal lines are available. We also have a set of reproduction proofs for those who use the offset method in preparing catalogs, handbills, etc.


DECALS: To put on store doors or windows to identify Crescent Dealers.

CIRCULARS: To enclose with statements or other mail. Can be imprinted with dealer's name, address, phone number, etc. Available on principal lines.

ADVERTISING: Crescent's consumer advertising is planned to bring customers to the store. We make no advertising allowances of any kind.

You can always do your Best Work when using CRESCENT TOOLS

SPECIAL CRESCENT DISPLAYS FOR PEGBOARD*



COMPACT UNITS THAT WILL SELL TOOLS

These displays will fit any standard Pegboard* panel. Designed to occupy as little space as possible, yet neat in appearance and attractive to prospective tool purchasers.

Crescent trade mark at top of each unit identifies the tools as being of highest quality, guaranteed merchandise for which CRESCENT has become noted over a period of many years.

The various units shown above come complete with tools as listed here:

PB1A	PB1AC	PB1160	PB1170	PB8700	PB1700
2 A14	2 AC14	3 C1161	3 C1166	3 C8723	4 C1020
2 A16	2 AC16	3 C1162	3 C1167A	3 C8725B	4 C1723
3 A18	3 AC18	3 C1163	2 C1167	3 C8729	4 C1725B
3 A110	3 AC110	3 C1164	2 C1168	3 C8731B	4 C1729
2 A112	2 AC112	3 C1165	2 C1170	3 C8033C	4 C1731B
Crescent	Crestoloy	Combination	Combination	Double End	4 C1033C
Wrenches	Wrenches	Box and	Box and	Box	Double Head
Wt. 11¼ lbs.	Wt. 8½ lbs.	Open End	Open End	Wrenches	Open End
		Wrenches	Wrenches	Wt. 9½ lbs.	Wrenches
		Wt. 3½ lbs.	Wt. 9½ lbs.		Wt. 9½ lbs.

Each unit comes packed in a carton, containing the fixture and tools as listed. Prices are printed on a strip which is inserted in the channel as shown. In the event of price changes, the factory will provide new price strips on request.

These units are sold at the cost of the tools only, no extra charge being made for the mounting fixture.

For stores having wall space made of Pegboard*, these CRESCENT display units provide a compact, convenient method of showing — and selling — these quality tools.

*Pegboard is registered trade mark of Masonite Corp.

CRESCENT TOOLS
Give Wings to Work

INDEX

TOOLS BY NAME

	Page
Assortments, Display	45 to 55
Assortments, Repair Parts	5
Aviation Snips	29
Awls, Scratch	44
Bent Nose Pliers	20, 25
Blades, Hack Saw	32
Box Joint Pliers	21, 24, 27
Box Wrenches	6
Bulk CeeTeeCo Pliers	21
Cape Chisels	34
Carpenters' Pincers	24
CeeTeeCo Pliers	21
Center Punches	33
Chisels, Cape	34
Chisels, Cold	34
Chisels, Diamond Point	34
Chisels, Half Round Nose	34
Chisels, Round Nose	34
Chisels, Wood	34
Clamps, Haven's	38
Clamps, Splicing (Connectors)	41, 42, 43
Cold Chisels	34
Combination Wrenches	6
Connectors	41, 42, 43
Crescent Grips	38, 39, 40
Crescent Pliers	20 to 28
Crescent Screwdrivers	35, 36
Crescent Wrenches	2
Crestogrip Pliers	22
Crestoloy Kits	44
Crestoloy Pliers	22 to 28
Crestoloy Wrenches	1
Diamond Point Chisels	34
Display Panels	45 to 55
Double End Wrenches	1
Drills, Star	34
Drivers, Screw	35, 36
Engineer's Wrenches	6
Fence Pliers	26, 27
Frames, Hacksaw	31, 32
Grips, Crescent	38, 39, 40
Grips, Haven's	38
Grips, Wire	38, 39, 40
Hack Saw Blades	32
Hack Saw Frames	31, 32
Haven's Grips	38
Kits, Tool	7, 8, 44
Linemen's Tools	24, 28, 38, 39, 40, 41, 42, 43
Long Nose Pliers	23, 25, 26, 27
MoToR KiT Pliers	21
Nail Pullers and Parts	37
Needle Nose Pliers	25
Nippers, End Cutting	24
Open End Wrenches	6
Panels, Display	45 to 55
Parts, Nail Puller	37
Parts, Hack Saw	32
Parts, Wrench	3, 4
Pegboard Displays	56
Phillips Screwdrivers	35, 36
Pincers, Carpenters'	24
Pin Punches	33
Pipe Wrenches	19, 20
Pliers, Bent Nose	21, 26
Pliers, Chain Nose	23, 25, 26, 27
Pliers, "Color Keyed"	23, 26, 27
Pliers, Combination	21, 26
Pliers, Crestoloy	23 to 28
Pliers, Curved Needle Nose	26
Pliers, Diagonal	25, 26
Pliers, Duck Bill	23
Pliers, End Cutting	24
Pliers, Fence	26, 27, 28

	Page
Pliers, Flat Nose	23, 25
Pliers, Industrial	23, 26, 27
Pliers, Insulated	28
Pliers, Knitters	24, 25
Pliers, Linemen's	24, 28
Pliers, Long Nose	23, 24, 25, 26, 27
Pliers, Long Reach	27
Pliers, Milliners'	25
Pliers, Multiple Slide Joint	22
Pliers, Needle Nose	25
Pliers, Pump Action	22
Pliers, Radio	20 to 28
Pliers, Round Nose	23
Pliers, Side Cutting	20, 24, 25, 28
Pliers, Slip Joint	21
Pliers, Slip Joint, Side Cutting	21
Pliers, Utility	22
Pouches, Tool	8
Prick Punches	33
Pullers, Nail	37
Pullers, Staple	27, 28, 44
Punches, Center	33
Punches, Solid	33
Punches, Pin	33
Punches, Prick	33
Radio Pliers	20 to 28
Repair Parts — Wrenches	3
Repair Parts Assortments	4
Sales Helps	56
Scratch Awls	44
Screwdrivers	35, 36
Screwdrivers, Phillips	35, 36
Screwdrivers, Stubby	36
Screwdrivers, Tenite Handle	35, 36
Screwdrivers, Wood Handle	36
Sets, Socket Wrench	10 to 18
Sets, Open End Wrench	7, 8
Sets, Combination Wrench	7, 8
Sleeve Wrenches	41, 42, 43
Slip Joint Pliers	21
Snips, Aviation	29
Snips, Circular Cutting	29, 30
Snips, Combination	30
Snips, Tinnners	29, 30
Socket Wrenches	9 to 18
Socket Wrench Sets	10 to 18
Sockets, Deep	12, 14
Splicing Clamps, (Connectors)	41, 42, 43
Staple Pullers	27, 28, 44
Star Drills	34
Thin Bent Nose Pliers	20
Thin Straight Nose Pliers	20
Tinnners' Snips	29, 30
Tool Kits	7, 8, 44
Tool Pouches	7, 8
Tool Rolls	7, 8
Universal Pliers	21
Wire Grips	38, 39, 40
Wire Tools	38 to 43
Wood Chisels	34
Wrenches, Box	6
Wrenches, Adjustable	1, 2
Wrenches, Combination	6
Wrenches, Crescent	2
Wrenches, Crestoloy	1
Wrenches, Double End	1, 6
Wrenches, Engineers	6
Wrenches, Insulated	44
Wrenches, Open End	6
Wrenches, Pipe	19, 20
Wrenches, Sleeve	41, 42, 43
Wrenches, Socket	9 to 18
Wrenches, Splicing	41, 42, 43
Wrenches, Stillson	20

TOOLS BY NUMBER

Tool Number	Page Number	Tool Number	Page Number	Tool Number	Page Number
A	2	DB243	52	95	33
A-RP1	4	DB246	52	101	37
A-RP2	4	DB247	53	160	34
AC	1	DB248	53	161	34
AC-RP1	4	DB249	53	164	34
AC-RP2	4	DB2410	53	165	34
BC	1	DB2411	54	166	34
C	6	FS1	54	167	34
CD1	50	FS2	51	175	34
CD2	50	FS3	51	260	34
CH	17	G	21	264	24
CHB10	18	H	21	265	24
CHB11	18	J	21	282	24
CHB20	18	K	35, 36	368	38
CS	13, 14	L	21	369	38
CSB12	15	L-AC	2	383	39
CSB15	15	LS	21	384	39
CSB18	15	M	23	385	39
CSD	14	P210	22	386	39
CSDB10	15	PB1A	56	486	33
CSMB34	16	PB1AC	56	487	33
CT	11	PB1160	56	488	33
CTD	11	PB1170	56	489	33
CTF	11	PB1700	56	490	33
CTB10	12	PB8700	56	542	25
CTB14	12	RP1	5	622	25
CTB30	12	RP2	5	650	25
CTDB8	12	S	30	654	25
CTFB7	12	T	30	742	25
CM	9	TK31	44	750	41,
CMB11	10	TP1105	8		42, 43
CMB16	10	TP1106	8	777	25
D	21	TP1705	8	888	26
DB121	46	TP1706	8	940	26
DB122	46	TR1105	7	942	26
DB123	46	TR1106	7	942SC	26
DB124	47	TR1705	7	943	26
DB125	47	TR1706	7	1000	26
DB126	47	TR1111	7	1033	27
DB127	47	U	30	1033SC	27
DB128	47	V	29	1034	27
DB129	47	WH	20	1035	27
DB1210	48	WS	19	1036	27
DB1211	48	1	37	1042	32
DB1212	48	13	37	1044	32
DB1213	48	15	44	1044N	32
DB1214	48	20	23	1046	32
DB1215	48	20SC	23	1047	32
DB1216	49	21	23	1049	32
DB1217	49	22	23	1239	32
DB1218	49	22SC	23	1439	32
DB1219	49	23	23	1907	27
DB1220	50	24	24	1936	28
DB1221	50	50	24	1950	28
DB1222	50	72	24	2150	28
DB241	52	73	44	3800	28
DB242	52	74	44		

